

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

Phillips Petroleum Company

## 3. ADDRESS OF OPERATOR

P.O. Box 2920, Casper, Wyoming 82602

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*

At surface

1910' FSL, 2140' FEL (NW,SE)

At proposed prod. zone

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

Approximately 4.5 miles south of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED\* 1910' north of Ratherford Unit lease line  
LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drlg. unit line, if any)18. DISTANCE FROM PROPOSED LOCATION\*  
TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.1035' east  
of #20W23

## 16. NO. OF ACRES IN LEASE

2534 Acres

## 19. PROPOSED DEPTH

5700'

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40 Acres

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4833' ungraded ground

## 22. APPROX. DATE WORK WILL START\*

Sept. 1983

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	100'	150 sx Class B (to surface) (sur-
12 1/4"	9 5/8"	36#	1600'	400 sx HLC & 400 sx Class B face)
8 1/2"	7"	20#, 23#, & 26#	5700'	1,000 sx est (T.O.C. approx 2000 ft.)

Approval is requested to drill Ratherford Unit #20-33, a Desert Creek Development oil well, to increase the ultimate recovery from the Ratherford Unit.

BOP equipment will be operated daily and tested weekly.

DIVISION OF  
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

A.E. Stuart

TITLE Area Manager

DATE August 30, 1983

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

DATE:

BY:

-BLM, Farmington, N.M.  
-Utah O&G CC-S.L. C., Utah  
-J.L. Whitmire (r) T.C. Doughty  
-G. W. Berk  
-T. M. Isaacs

\*See Instructions On Reverse Side

Form 9-331C &amp; Location Plat only - Barbara Conner

Form 9-331C &amp; Location Plat only - R. M. Coffelt


COMPANY PHILLIPS PETROLEUM COMPANY

LEASE RATHERFORD UNIT WELL NO. 20-33

SEC. 20, T. 41S, R. 24E  
SAN JUAN COUNTY, UTAH

LOCATION 1910' FSL 2140' FEL


ELEVATION 4833 ungraded ground



SCALE—1 INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPER-  
VISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

SEALS



SURVEYED August 8, 1983, 19




Figure 7-10. Standard Hydraulic Blowout Preventer Assembly  
(2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4  
January/83

PHILLIPS PETROLEUM COMPANY



Page 251  
Section II

## BLOWOUT PREVENTER TESTING PROCEDURE

### A. INITIAL INSTALLATION TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7 - TWO RAM UNITS

After all blowout preventers, regular choke lines, valves, bell nipples, and flow lines are rigged up, the following steps are to be carried out with no exceptions: (Emergency choke and kill lines are not to be connected below the bottom preventer at this time.)

Preparations  
for Test  
Steps 1-9.

1. Inspect all flanges to see if all bolts are in place and tight.
2. Check all opening and closing lines to preventers to see if they are correctly placed, hooked up, and tight.
3. Check to see that all control valves are properly marked.
4. Open bradenhead valves and wash inside of preventers with water from the top. No lines are to be connected to the bradenhead at this time.
5. Connect water into suction of mud pump and pump water through kill line and out bradenhead valves until water clears up.
6. Connect test line in place of kill line.

A. INITIAL INSTALLATION TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7  
TWO RAM UNITS (Contd.)

7. Connect kill line to one bradenhead valve and open valve.
8. Close other bradenhead valve.
9. Fill preventers with water.
10. Close blind rams with 1,500 psi.
11. Check closing line and preventer for leaks.
12. Pressure up casing with mud pump to pressure required to test casing using water. Hold for 10 minutes.
13. Check bradenhead, bradenhead valve flanges, and blind rams for leaks.
14. Install a pressure gauge on the bradenhead valve opposite where the kill line is tied on.
15. Open bradenhead valve to read casing pressure.
16. Close bradenhead valve on side where kill line is tied on.
17. Release pressure on kill line.
18. Disconnect kill line from bradenhead valve.
19. Check bradenhead valve for leaks on the side where the kill line was disconnected. See that casing pressure has not dropped below the required test pressure.
20. Remove pressure gauge and bleed down casing.
21. Close bradenhead valve(s).
22. Open blind rams with 1,500 psi.
23. Check opening line and preventer for leaks.
24. Disconnect kill line from bradenhead valve and open both bradenhead valves.
25. Run test plug in on a joint of drill pipe, set in seat.

NOTE: Test plug to be fabricated so that there will be enough clearance between plug and pipe rams to clear tool joint when closed on joint of drill pipe made up in plug. The plug must be drilled so there is communication between inside of drill pipe and top of plug above seal surface.

Casing  
Blind Ram  
and Braden-  
head Test  
Steps 10-24

BOP Stack  
and Choke  
Line Test  
Steps 25-38

A. INITIAL INSTALLATION TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7  
TWO RAM UNITS (Contd.)

26. Install safety valve and kelly on top of drill pipe.
27. Fill preventers with water.
28. Open all valves on choke lines and check to see that water is flowing through each outlet. Let run until clear. Open valves on kill line side of spool.
29. Close outside valves on choke lines making sure they are full of water and have no trapped air.
30. Refill preventers if necessary.
31. If Hydril is used in place of upper ram type preventer, close 1" plug valve on closing line. Test to 1,500 psi. Inspect valve for leaks. Release pressure. Open valve.
32. Close pipe rams or Hydril with 1,500 psi.
33. Check closing line and preventer for leaks.
34. Open stand pipe valve, kelly cock, and safety valve, and fill kelly with water.
35. Close kelly cock.
36. If Hydril is used, reduce closing pressure to that recommended on page 56. Closing pressure may be increased as required to effect a seal up to a maximum of 1,500 psi.
37. Pressure up to working pressure of preventers through test line. For maximum Hydril packing unit life, as the test pressure builds up, reduce the closing pressure and later apply opening pressure per applicable schedule starting on page 57, provided a schedule is listed for the Hydril in use. Hold test pressure for 10 minutes.
38. Check all valves, flanges, and seals that are under pressure for leaks and tighten if necessary. Check test plug for leak.
39. Close second valve from hole on choke line. Open outside valve on full opening line. Hold pressure for one minute.
40. Check to see if valve leaks.
41. Close inside valve on choke line. Open second valve out on choke line. Hold pressure for one minute.
42. Check to see if valve leaks.

Choke and  
Kill Valve  
Tests  
Steps 39-55

A. INITIAL INSTALLATION TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7  
TWO RAM UNITS (Contd.)

43. Close safety valve and open kelly cock.
44. Check safety valve for leaks.
45. Close inside valve on kill line side. Open inside valve on choke line side. Hold pressure for one minute.
46. Check to see if valve leaks.
47. Close second valve out on kill line. Open inside valve on kill line. Hold pressure for one minute.
48. Check to see if valve leaks.
49. Open second valve out on kill line. Close inside valves on kill line and choke line.
50. Disconnect test line; connect kill line.
51. Open pipe rams (or Hydril) with 1,500 psi.
52. Check opening line and preventer for leaks.
53. Pull plug out of hole.
54. Close bradenhead valves.
55. Record test on drilling report.

B. RAM CHANGE TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7 OR 8 -  
TWO RAM UNITS

If Hydril is used in place of upper ram type preventer, ram change test is not required since no change will be made in preventer assembly to run casing.

Preparations  
Steps 1-2

1. After getting out of hole, open choke line valves and drain mud out of preventers. No lines are to be connected to Figure 7 bradenhead valves at this time.

2. Wash inside of preventers from top with water.

Ram Change  
Steps 3-9

3. Close blind rams.
4. Open bonnets or doors on upper ram type preventer.
5. Remove drill pipe rams.
6. Install rams to fit casing.

B. RAM CHANGE TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 7 OR 8 - TWO RAM UNITS (contd.)

7. Close bonnets or doors, checking all seals and "O" rings.
8. Tighten up all bolts and inspect preventer to see that bonnets or doors are closed, steel to steel.
9. Open blind rams.

Casing Ram Test  
Steps 10-22

10. Install test plug and test line on extra joint of casing the same size that is to be run. Casing joint used must be of sufficient strength to withstand test pressures. The crossover connections used to get from casing joint to test plug must be short enough to permit the casing rams to close against casing.
11. Set test plug in casing spool.
12. Fill preventers with water.
13. Close casing rams.
14. Purge air from casing joint.
15. Pressure up through casing joint to working pressure of preventers. Hold for 10 minutes.
16. Check for leaks in all flanges and seals that hold pressure, especially bonnet or door seals on preventer changed.
17. Release pressure.
18. Open casing rams.
19. Pull test plug out of hole.
20. Close choke line valve.
21. Change sign on valve on blowout preventer closing manifold that controls casing rams to indicate casing rams instead of drill pipe rams.
22. Record test and ram changes in drilling report.

C. WEEKLY TEST PROCEDURE FOR INSTALLATIONS AS SHOWN ON FIGURE 7 - TWO RAM UNITS

Preparations  
for Test

Steps 1-10

1. Inspect all flanges to see if all bolts are in place and tight.
2. Check all opening and closing lines to preventers to see if they are correctly placed, hooked up, and tight.



C. WEEKLY TEST PROCEDURE FOR INSTALLATIONS AS SHOWN ON FIGURE 7 - TWO  
RAM UNITS (contd.)

3. Remove kill line and install test line in flange outside of second valve on the kill line side of the drilling spool.
4. Open valves on bradenhead and wash inside of preventers with water from the top. No lines are to be connected to the bradenhead at this time.
5. Run test plug in on a joint of drill pipe and set in seat.
6. Install safety valve and kelly on top of drill pipe.
7. Fill preventers with water.
8. Open all valves on choke lines and check to see that water is flowing through each choke line and full opening line. Let run until it clears up.
9. Close all outside valves on choke line, making sure they are full of water and do not have air trapped in them.
10. Refill preventers if necessary.
11. Close pipe rams (or Hydril, if used in place of upper ram type preventer).
12. Check closing line and preventer for leaks.
13. Open stand pipe valve, kelly cock, and safety valve, and fill kelly with water.
14. Close kelly cock.
15. If Hydril is used, reduce closing pressure to that listed on page 56. This may be increased as required up to a maximum of 1,500 psi.
16. Pressure up to 1/2 working pressure of preventers. For maximum Hydril packing unit life, as the test pressure builds up, reduce the closing pressure and later apply opening pressure per applicable schedule starting on page 57, provided a schedule is listed for the Hydril in use. Hold test pressure for 10 minutes.
17. Check for leaks.
18. Close safety valve and open kelly cock.
19. Check safety valve for leaks.

BOP Stack and  
Kelly Cock Test  
Steps 11-17

Safety Valve  
Test  
Steps 18-24

C. WEEKLY TEST PROCEDURE FOR INSTALLATIONS AS SHOWN ON FIGURE 7 -  
RAM UNITS (Contd.)

20. Release pressure.
21. Open pipe rams (or Hydril)
22. Pull plug out of hole.
23. Close bradenhead valves.
24. Record test on drilling report.

BLOWOUT PREVENTER TESTING PROCEDURE

A. INITIAL INSTALLATION TEST FOR INSTALLATIONS AS SHOWN ON FIGURE NO. 8  
TWO RAM UNITS - LOW SUBSTRUCTURE

After all blowout preventers, choke lines, valves, bell nipples, and flow lines are rigged up, the following steps are to be carried out with no exceptions:

Preparations  
Steps 1-10

1. Inspect all flanges to see if all bolts are in place and tight.
2. Check all opening and closing lines to preventers to see if they are correctly placed, hooked up, and tight.
3. Check to see that all control valves are properly marked.
4. Remove kill line and open all valves on bradenhead.
5. Open all valves on choke manifold and wash inside of preventers with water from the top. Check to see that water is flowing through each choke line and kill line.
6. Close outside valves on kill line side and on choke lines.
7. Install test line in flange on outside of second valve on kill line side of bradenhead.
8. Fill preventers.
9. Open outside valve on kill line side and pump through test line until all air is purged.
10. Close inside valve on kill line side.
11. Pressure up to working pressure of preventers. Hold for one minute.
12. Check for leaks.

Kill Line  
Outlet  
Valves  
Test  
Steps 10-16

RU 1-B



## DEPARTMENT OF NATURAL RESOURCES

**DEE C. HANSEN**  
**STATE ENGINEER**

**JOHN BENE  
DEPUTY**

442 STATE CAPITOL  
SALT LAKE CITY, UTAH 84114

**(801) 328-6071**

May 28, 1974

DIRECTING ENGINEERS  
HAROLD D. DONALDSON  
DONALD C. NORSETH  
~~XXXXXXXXXXXX~~  
Stanley Green

Rather poor vent w. s. w. cli.

Phillips Petroleum Company  
Box 2920  
Casper, Wyoming 82601

Gentlemen:

RE: Change Appl. No. a-7804 (09-281)

Enclosed is Change Application No. a-7804 (09-281) which has been approved. The approved change application is amendatory and serves only to affect a correction to Application No. 32773 a-4025 on which an election to file a water user's claim has been submitted.

As soon as possible, engineers of this office will make the necessary field investigations and will prepare a water user's claim which will be entered in the adjudication of water rights in your area.

Yours truly,

*Joe C. Hansen*

Dee C. Hansen  
State Engineer

jb

Enc.: Copy of Approved Application

CHANGE APPLICATION APPROVED

(Form for Pending Original Application)

PHILIPPS INDOLOGICAL CO.		
CASPER AREA		
E & P DEPT.		
Recd: JUN 3 1974		
Send to	Est.	Dept.
Sept.	W	
Oper. Sept.	W	
Inst. Engr.	F	
Dist. Mgr.	H. J. C.	
Engng.	H. J. C.	
E. D.		
Supvise		
Send		
Copy		
to		

*Quinn Eade 09-281*

# Application for Permanent Change of Point of Diversion Place and Nature of Use of Water STATE OF UTAH

Please clearly and correctly complete the information requested below which defines the right or rights being changed. (Type or clearly print.)

For the purpose of obtaining permission to permanently change: the point of diversion ☒, place ☐, or nature of use ☐, of water rights acquired by Application No. 32773 (09-281)  
(Give Number of Application, certificate of appropriation, title and date of Decree or other identification of right.)

If the right described has been amended by a previous approved change application, give the number of such change application. No. a-4025

- The name of the applicant is Phillips Petroleum Company
- The post-office address of the applicant is Box 2920, Casper, Wyoming 82601
- The flow of water which has been or was to have been used in second-feet is 8.0
- The quantity of water which has been or was to have been used in acre-feet is \_\_\_\_\_
- The water has been or was to have been used for and during periods as follows:  

<u>Oil Field Pressure Maintenance and</u>	from _____	to _____	incl.
(purpose)	(month) (day)	(month) (day)	
<u>Secondary Recovery Uses</u>	from <u>January 1</u>	to <u>December 31</u>	incl.
(purpose)	(month) (day)	(month) (day)	
and stored each year (if stored) _____	from _____	to _____	incl.
	(month) (day)	(month) (day)	
- The direct source of supply is 41 Wells in San Juan County.  
(well, spring, stream, drain, river; if other explain)
- The point or points of diversion See Separate Sheet

(Must be the same as that of right being changed unless a previous change has been filed and approved. Then use the point or points approved in the previous change.)

## 8. Diversion works:

If a well give diameter and depth 12 3/4" diameter wells, 35-50 ft. deep

If a dam and reservoir give height, capacity, and area inundated \_\_\_\_\_

If other give type of diversion facility \_\_\_\_\_

## 9. The water involved has been or was to have been used for the following purposes in the following described legal subdivisions: (If used for irrigation, state sole or supplemental supply, and describe other supplemental rights.)

Irrigation \_\_\_\_\_

Total acres to be irrigated \_\_\_\_\_

Stockwatering (number and kind) \_\_\_\_\_

Domestic (number of families and/or persons, etc.) \_\_\_\_\_

Other See Separate Sheet

## 10. The point at which water has been or was to have been returned to the stream channel is situated as follows: (Please describe method of return.) \_\_\_\_\_

Note: Paragraph 10 is to be completed only when all or part of the water is returned to the natural stream or channel.

## The Following Changes Are Proposed

- The flow of water to be changed in cubic feet per second is Same as heretofore
- The quantity of water to be changed in acre-feet is \_\_\_\_\_

13. The water will be used each year for:

Same as heretofore

from \_\_\_\_\_ to \_\_\_\_\_ incl.  
(purpose) (month) (day) (month) (day)

from \_\_\_\_\_ to \_\_\_\_\_ incl.  
(purpose) (month) (day) (month) (day)

and stored each year (if stored) from \_\_\_\_\_ to \_\_\_\_\_ incl.  
(month) (day) (month) (day)

14. It is now proposed to divert the water from 23 Wells  
(i.e., spring, spring area, stream, river, drain, well, etc.)  
at a point(s) as follows: See Separate Sheet

NOTE: The "point of diversion," or "point of return," must be located by course and distance or by rectangular distances with reference to some regularly established United States land corner or United States mineral monument if within a distance of six miles of either, or if a greater distance to some prominent and permanent natural object. A spring area must also be described by metes and bounds.

15. The proposed diverting and conveying works will consist of: (if a well, state diameter and depth thereof)  
20 - 16-inch diameter wells, 35-50 ft. deep

16. If water is to be stored, give capacity of reservoir in acre-feet \_\_\_\_\_ height of dam \_\_\_\_\_  
area inundated in acres \_\_\_\_\_ legal subdivisions of area inundated \_\_\_\_\_

17. The water is to be used for the following purposes in the following described legal subdivisions: (if used for irrigation, state sole or supplemental supply, and describe other supplemental rights.)

Irrigation \_\_\_\_\_

\_\_\_\_\_ Total acres to be irrigated \_\_\_\_\_

but limited to the sole irrigation supply of \_\_\_\_\_ acres.

Stockwatering (number and kind) \_\_\_\_\_


Domestic (number of families and/or persons, etc.) \_\_\_\_\_

Other Same as heretofore

18. If paragraphs 11 and 12 designate that only part of the right described in paragraphs 1 to 10 inclusive is to be changed, designate the status of the water so affected by this change as to its being abandoned or used as heretofore.

### EXPLANATORY

The following additional facts are set forth in order to define more clearly and completely the full purpose of the proposed change: This is an Amendatory Change Application filed to  
correct the location of the points of diversion.



The undersigned hereby acknowledges that even though he may have been assisted in the preparation of the above-numbered application through the courtesy of the employees of the State Engineer's Office, all responsibility for the accuracy of the information contained therein, at the time of filing, rests with the applicant.

Forrest L. Morgan  
Signature of Applicant

Item 7 - Points of Diversion

Well No.	Well Location	Well No.	Well Location
1	S. 1000 ft. & W. 150 ft.	22	S. 1550 ft. & E. 1850 ft.
2	S. 1000 ft. & W. 450 ft.	all from NW Cor. Sec. 3, T41S, R24E.	
3	S. 1000 ft. & W. 150 ft.	23	S. 960 ft. & E. 150 ft.
4	S. 1000 ft. & W. 1050 ft.	24	S. 950 ft. & E. 450 ft.
5	S. 1000 ft. & W. 1350 ft.	25	S. 925 ft. & E. 750 ft.
6	S. 1000 ft. & W. 1650 ft.	26	S. 910 ft. & E. 1050 ft.
7	S. 1000 ft. & W. 1150 ft.	27	S. 900 ft. & E. 1350 ft.
8	S. 1000 ft. & W. 2250 ft.	28	S. 890 ft. & E. 1650 ft.
9	S. 1000 ft. & W. 2550 ft.	29	S. 850 ft. & E. 1950 ft.
10	S. 1000 ft. & W. 2850 ft.	30	S. 825 ft. & E. 2250 ft.
11	S. 900 ft. & W. 3125 ft.	31	S. 895 ft. & E. 2540 ft.
12	S. 800 ft. & W. 3400 ft.	32	S. 1000 ft. & E. 2795 ft. <i>DELETE FC</i>
13	S. 700 ft. & W. 3700 ft.	33	S. 1210 ft. & E. 3000 ft.
14	S. 610 ft. & W. 3995 ft.	34	S. 1420 ft. & E. 3200 ft.
15	S. 500 ft. & W. 4280 ft.	35	S. 1620 ft. & E. 3410 ft.
all from NE Cor. Sec. 5, T41S, R24E		36	S. 1710 ft. & E. 3710 ft.
16	S. 1700 ft. & E. 50 ft.	37	S. 1760 ft. & E. 4000 ft.
17	S. 1675 ft. & E. 350 ft.	38	S. 1800 ft. & E. 4300 ft.
18	S. 1650 ft. & E. 650 ft.	39	S. 1780 ft. & E. 4600 ft.
19	S. 1610 ft. & E. 950 ft.	40	S. 1740 ft. & E. 4900 ft.
20	S. 1590 ft. & E. 1250 ft.	41	S. 1720 ft. & E. 5200 ft.
21	S. 1575 ft. & E. 1550 ft.	all from NW Cor. Sec. 4, T41S, R24E.	


Item 9 - Place of Use: Ratherford Unit Greater Aneth Oil Field; S $\frac{1}{2}$  Sec. 1; SE $\frac{1}{4}$  Sec. 2; E $\frac{1}{2}$  Sec. 11; Sec. 12; Sec. 13; E $\frac{1}{2}$  Sec. 14; NE $\frac{1}{4}$  Sec. 24, T41S, R23E, SLB&M. Secs. 3-10; W $\frac{1}{2}$  Sec. 11; W $\frac{1}{2}$  Sec. 14; Secs. 15-21; NW $\frac{1}{2}$  & W $\frac{1}{2}$ SW $\frac{1}{2}$  Sec. 22; W $\frac{1}{2}$ NE $\frac{1}{2}$ , NW $\frac{1}{4}$ , W $\frac{1}{2}$ SW $\frac{1}{2}$  Sec. 28; Secs. 29-30; N $\frac{1}{2}$  Sec. 31; N $\frac{1}{2}$  Sec. 32, T41S, R24E, SLB&M.

Item 14 - New Points of Diversion

Well No.	Well Location
1	S. 950 ft. & W. 148 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aad
2	S. 1014 ft. & W. 442 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aad
3	S. 1007 ft. & W. 741 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aac
4	S. 1010 ft. & W. 592 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aad
5	S. 982 ft. & W. 294 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aad
6	S. 887 ft. & W. 2 ft. from NE Cor. Sec. 5, T41S, R24E, SLB&M. (D-41-24) 5aad
7	S. 863 ft. & E. 145 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5aad
8	S. 843 ft. & E. 293 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5aad
9	S. 818 ft. & E. 440 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5aad
10	S. 803 ft. & E. 590 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5aad
11	S. 789 ft. & E. 739 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5aac
12	S. 777 ft. & E. 939 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. <i>DELETE FC</i>
13	S. 803 ft. & E. 1137 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M. (D-41-24) 5
14	S. 802 ft. & E. 1334 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M.
15	S. 759 ft. & E. 1529 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M.
16	S. 715 ft. & E. 1725 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M.
17	S. 672 ft. & E. 1920 ft. from NW Cor. Sec. 4, T41S, R24E, SLB&M.
18	NO WELL
19	S. 1792 ft. & W. 352 ft. from NE Cor. Sec. 4, T41S, R24E, SLB&M.
20	S. 1792 ft. & W. 952 ft. from NE Cor. Sec. 4, T41S, R24E, SLB&M.
21	NO WELL
22	S. 1792 ft. & W. 652 ft. from NE Cor. Sec. 4, T41S, R24E, SLB&M.
23	S. 1714 ft. & W. 1545 ft. from NE Cor. Sec. 4, T41S, R24E, SLB&M.

(This page not to be filled in by applicant)

STATE ENGINEER'S ENDORSEMENTS



1. MAR. 8, 1974 Change Application received over counter by mail in State Engineer's office by WCK
2. \_\_\_\_\_ Priority of right to make change brought down to, on account of \_\_\_\_\_
3. MAR 12, 1974 Fee for filing Application \$ 65.00, received by WCK, Receipt No. 906
4. MAR 19, 1974 Application microfilmed by \_\_\_\_\_ Roll No. 709 and indexed by WCK
5. 4/16/74 Application platted by WCK See following pages for location
6. MAR. 8, 1974 Application examined by WCK
7. \_\_\_\_\_ Application returned, with letter, to \_\_\_\_\_ for correction
8. \_\_\_\_\_ Corrected application resubmitted over counter by mail to State Engineer's Office
9. MAR. 8, 1974 Application approved for advertisement by WCK
10. MAR 28 1974 Notice to water users prepared by dph & SJ
11. APR 4 1974 Publication began, was completed APR 18 1974
12. APR 3 1974 Notice published in San Juan Record
13. \_\_\_\_\_ Proof slips checked by dph & SJ
14. April 24, 1974 Change Application protested by WCK & LG
15. NOV. 16, 1971 Field Examined by WCK & LG
16. MAY 20, 1974 Application designated for approval rejection by WCK & SJ
17. 5-28-74 Change Application copied jb proofread by \_\_\_\_\_
18. 5-28-74 Change Application approved ~~rejected~~ and returned to applicant

This application is approved on the following conditions:

1. Actual construction work necessitated by proposed change shall be diligently prosecuted to completion.
2. Proof of change shall be submitted to the State Engineer's office by under 32773
3. This change is subject to all conditions imposed on the approval of the original application or right

Dee C. Hansen

Dee C. Hansen, State Engineer

18. \_\_\_\_\_ Time for making proof of change extended to \_\_\_\_\_
19. \_\_\_\_\_ Proof of change submitted.
20. \_\_\_\_\_ Certificate of change No. \_\_\_\_\_, issued.

I hereby certify that the foregoing is a true copy of the Application by \_\_\_\_\_ to change the point of diversion, place and nature of use of water as shown, with endorsements thereon, on the records of my office on the date given below.

Salt Lake City, Utah \_\_\_\_\_, 19\_\_\_\_

State Engineer

Change Application No. 9-7504

*J. P. Denny*

December 23, 1970

Mr. Kenward H. McKinney, Area Engineer  
State of Utah  
Department of Natural Resources  
6 East Main  
Price, Utah 84501

*[Handwritten signature]*  
*Heather*  
*(H2) [initials]*

Dear Mr. McKinney:

Enclosed is a completed and notarized State of Utah Form No. 152, "Election to File Water User's Claim" for water placed in beneficial use by Phillips Petroleum Company in the Ratherford Unit, San Juan County, Utah.

Very truly yours,

*[Handwritten signature]*  
H. W. Patterson  
Production Director  
Western District

CML:rc  
Attachment

bcc: Mr. J. P. Denny (2)





INTER-OFFICE CORRESPONDENCE / SUBJECT:  
Denver Legal Department

Ratherford Unit  
San Juan County, Utah  
Application No. 32773  
Proof of Appropriation

December 2, 1970

Mr. H. W. Patterson  
Denver District Office

This is in answer to your inquiry of November 20, 1970, regarding the filing of an Election to File Water Users Claim in lieu of a Proof of Appropriation in the above matter. It is my opinion that we should elect to file the Election to File Water Users Claim.

An investigation of the pertinent Utah Statutes discloses that there is no difference between the legal effect of the two procedures. The election procedure is judicial in nature and results in a court order stating precisely our rights regarding use of the water. The decision is based upon the recommendation of the State Engineer, who has the responsibility for surveying, etc. if it is necessary. In short, we will get the same benefit at little or no expense.

*Thomas M. Blume*  
Thomas M. Blume

TMB/cjk

P

Ratherford Unit  
San Juan County, Utah  
Application No. 32773  
Proof of Appropriation

1300 Security Life Building  
Denver, Colorado 80202

November 20, 1970

Mr. T. M. Blume  
Division Chief Attorney  
Denver Legal Department

Attached is a file pertaining to Phillips Petroleum Company's application for permanent use of water from underground and subsurface flow of the San Juan River in Utah for the beneficial use of pressure maintenance and secondary recovery in the Ratherford Unit.

I would like to direct your attention to Mr. C. M. Boles' letter of November 23, 1965, for background information.

On June 16, 1966, the Utah State Engineer granted a five-year extension to our Application No. 32773 for submittal of Proof of Appropriation. This extension will have elapsed on February 26, 1971.

We are preparing to file the Proof of Appropriation, however, the Casper office has information from the Area Engineer, Division of Water Rights, Department of Natural Resources, State of Utah that the filing of Proof of Appropriation is not necessary, but that filing of an Election to File Water Users Claim is necessary for permanent use of water from subsurface flow of the San Juan River.

We will appreciate your opinion on this filing.

H. W. Patterson

CML:rc  
Attachment

cc: Mr. T. A. Matthews

A T T E N T I O N

THIS FORM IS TO BE USED ONLY WHEN WATER HAS BEEN PLACED TO FULL  
BENEFICIAL USE

Form 152

BEFORE THE STATE ENGINEER OF THE STATE OF UTAH  
ELECTION TO FILE WATER USER'S CLAIM

APPLICATION NO. 32773(09-281)

STATE OF ~~UTAH~~ Utah

COUNTY OF San Juan

) ss.

Phillips Petroleum Company, being first duly sworn,  
says that he is the owner of the above application; that the development con-  
templated under this application has been completed and the water placed to  
beneficial use.

In lieu of submitting "Proof of Appropriation" or "Proof of Change"  
and receiving "Certificate of Appropriation" or "Certificate of Change", the  
applicant hereby elects to file a "Statement of Water User's Claim" or an  
"Amended Statement of Water User's Claim" in the pending GENERAL DETERMINATION  
OF WATER RIGHTS; and that the applicant requests that said statement be pre-  
pared by the State Engineer and submitted for execution at an early date.

Phillips Petroleum Company

By: H. A. Kuehnert  
Attorney-in-Fact

H. A. Kuehnert  
APPLICANT

ROC

Subscribed and sworn to before me this 28 day of Jan

.19 28.

H. A. Kuehnert  
NOTARY PUBLIC

My commission expires 9-16-10

Corbett

December 2, 1965

Ratherford Unit, San Juan County, Utah -  
Application No. 32773 - Request for Extension  
of Time to Make Proof of Appropriation

Mr. R. M. Williams (2)  
Legal Department

Phillips' Application No. 32773 to the State of Utah for appropriation of water to be used in the Ratherford Unit project was approved on September 5, 1961. One condition of the approval was that a proof of appropriation be submitted by February 28, 1963. Subsequently an extension was granted and the proof of appropriation is now due on February 28, 1966. It is not possible to determine at this time the quantity of water that will ultimately be required and this is to request your assistance in obtaining an additional extension of time before it is necessary to file the proof.

Attached is a copy of Mr. C. M. Boles' letter dated November 23, 1965, which transmits a copy of an unexecuted application for an extension of time for filing the proof from February 28, 1966, to February 28, 1971. Please examine the application as to form and, if it is acceptable, forward it to Mr. J. E. Chrisman, who will arrange for its execution. If it is your opinion that the legal firm of Senior and Senior should file the application, as was done previously, please so advise and the executed application will be returned to you.

Shofner Smith

JEC:gm  
Attach.


cc: Messrs. C. W. Corbett  
Attn. T. L. Osborne  
C. M. Boles

12/8/65  
HSC  
HSC  
JEC

Copied for  
C. M. Boles  
4-18-62 EFL:ml1

**THE STATE OF UTAH**  
OFFICE OF THE STATE ENGINEER  
SALT LAKE CITY

March 26, 1962



Phillips Petroleum Company  
Bartlesville,  
Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. a-4025

Enclosed find Application No. a-4025 which has been approved by me. This approved Application is your authority to proceed with actual construction work which, under Sections 73-3-10 and 73-3-12, Utah Code Annotated 1953, as amended, must be diligently prosecuted to completion. The water shall be put to beneficial use and proof of appropriation filed with the State Engineer, as provided in the original application as amended by this approved change Application.

Failure on your part to comply with the requirements of the statutes may result in forfeiture of your Application.

Yours truly,

*Wayne D. Criddle*

Wayne D. Criddle

ADDRESS ALL COMMUNICATIONS TO:

STATE ENGINEER  
403 STATE CAPITOL  
SALT LAKE CITY, UTAH

js

Encl: Copy of approved application

**CHANGE APPLICATION APPROVED**

(Form for pending original Application)



Copied for  
C. M. Boles  
11-3-61 SS:ml1

THE STATE OF UTAH  
OFFICE OF STATE ENGINEER

SALT LAKE CITY  
October 30, 1961

WAYNE D. CRIDDLE  
STATE ENGINEER

Issue Date: October 30, 1961  
Expiration Date: April 30, 1962

Phillips Petroleum Company  
c/o Senior and Senior, Attorneys  
#10 Exchange Place  
Salt Lake City 11, Utah

Gentlemen:

RE: APPROVED APPLICATION NO. 32773 AND  
CHANGE APPLICATION NO. a-4025

This is to acknowledge receipt of your Permanent Change Application No. a-4025, which proposes to change the point of diversion of 8.0 sec.-ft. of water initiated by Application No. 32773. The water was to have been diverted from ten 12.75-inch O.D. wells located within  $S\frac{1}{2}N\frac{1}{2}NE\frac{1}{4}$  and  $SE\frac{1}{4}NE\frac{1}{4}$  of Sec. 5, T41S, R24E, SLB&M. It is now proposed to divert the 8.0 sec.-ft. of water from a total of 11 wells 12.75 inches O.D., between 35 and 50 ft. deep, ten of these being the same as heretofore described and thirty-one wells to be located within  $NW\frac{1}{4}$  Sec. 3,  $R\frac{1}{2}$  Sec. 4,  $NW\frac{1}{4}$  Sec. 5, T41S, R24E, SLB&M. The water is to be used for pressure maintenance and secondary recovery purposes as heretofore.

You have requested permission to proceed immediately with the drilling of these additional 31 wells. This letter grants you that privilege with the understanding that all risks as regards water rights are being assumed by you.

If other than new standard casing is to be used in these wells, such casing must be inspected and approved by a representative from this office. All wells must be so constructed and finished that they may be readily controlled at all times, in order to prevent waste of underground water. Wells must be drilled and cased in such a manner that will prevent the infiltration of contaminated water into them.

The driller must be bonded and have a current permit from the State Engineer. Before commencing, he must give this office notice as to the day he will begin drilling. Also, within 30 days after the well has been completed or abandoned, he must file a well driller's report for each well. These reports are to contain accurate and complete information regarding the work done and become part of the files in this office pertaining to the above-numbered findings.

This is permission for a licensed driller to begin drilling your wells.

Please note that the expiration date of this letter is April 30, 1962.

Yours truly,

*Wayne D. Criddle*  
Wayne D. Criddle  
STATE ENGINEER

RECEIVED

OCT 31 1961

SENIOR

ds

*Review  
file/SS*

October 13, 1961

AIRMAIL

Mr. Clair M. Senior  
Senior & Senior  
Attorneys at Law  
10 Exchange Place  
Salt Lake City, Utah

Re: Alternate or Additional Source of Water  
for the Rutherford Unit, San Juan County, Utah

Dear Clair:

Herewith in triplicate is completed and signed application to the Utah State Engineer for additional and alternate points of diversion for water for water-flood purposes in the Rutherford Unit. I would appreciate it if you would handle this matter with the Water Engineer and, as diplomatically as possible, urge upon him the importance of expediting the matter as much as possible.

Having gotten these papers back from the Production Department too late to get a check for the filing fee, I would ask that you advance the fee and, upon being billed, I will send you the check.

If you need any additional information, please advise.

Very truly yours,

RMW:jd  
Enclosures

R. M. Williams

cc - Mr. Shofner Smith ✓

2-10-61

# Application for Permanent Change of Point of Diversion, Place and Nature of Use of Water STATE OF UTAH

Do not fill out this blank until you have read carefully and thoroughly understand the "Rules and Regulations" on the back hereof and all the notes in the body of it.

For the purpose of obtaining permission to permanently change the point of diversion, ~~place or nature of use of~~ (Strike out written matter not needed)

water right acquired by original Application No. 32773  
(Give No. of Application, certificate of appropriation, title and date of Decree or other identification of right)  
to that hereinafter described, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah.

- The name of the applicant is Phillips Petroleum Company
- The post-office address of the applicant is Bartlesville, Oklahoma
- †The flow of water which ~~has been or~~ was to have been used in second-feet is 8
- †The quantity of water which has been or was to have been used in acre-feet is XX
- †The water ~~has been or~~ was to have been used each year from January 1 to December 31 incl.  
(Month) (Day) (Month) (Day)
- †The water has been or was to have been stored each year from XX to XX incl.  
(Month) (Day) (Month) (Day)
- The drainage area to which source of supply belongs is \_\_\_\_\_ (Leave blank)
- The direct source of supply is Underground water and subsurface flow of San Juan River  
in San Juan County.
- †The point/s of diversion as described in the original Application ~~or the point at which the water has been diverted if~~ <sup>are</sup> situated at a point/s in Section 5, T. 41S., R. 24E as more particularly set out in the original Application No. 32773.

- †The water involved ~~has been or~~ was to have been used for the following purposes:

Pressure maintenance and secondary recovery purposes

Total XX Acres.

NOTE—If for irrigation, give legal subdivision of land and total acreage which has been or was to have been irrigated. If for other purposes, give nature, place and extent of use or proposed use.

- †The point at which water ~~has been or~~ was to have been returned to the stream channel is situated as follows: XX

NOTE—The above space is to be filled in only when all or part of the water is returned to the natural stream or channel.

## The Following Changes Are Proposed

- The flow of water to be changed in cubic feet per second is No change
- The quantity of water to be changed in acre-feet is XX
- The water will be used each year from January 1 to December 31 incl.  
(Month) (Day) (Month) (Day)
- The water will be stored each year from XX to XX incl.  
(Month) (Day) (Month) (Day)
- The point at which it is now proposed to divert the water is situated (See note) See explanatory

NOTE—The "point of diversion," or "point of return," must be located by course and distance or by rectangular distances with reference to some regularly established United States land corner or United States mineral monument if within a distance of six miles of either, or if a greater distance, to some prominent and permanent natural object.

- The proposed diverting and conveying works will consist of wells and conveyance pipe as explained in original Application No. 32773

- The cross-section of the diverting channel will be.

~~XXXXXXXX~~ ○

(Strike out ones not needed)

- The nature of the diverting channel will be: earth, wood, iron, concrete.

(Strike out the ones not needed)


†Strike out written matter not needed.





THE STATE OF UTAH  
OFFICE OF STATE ENGINEER  
SALT LAKE CITY

September 11, 1961



Phillips Petroleum Company  
Bartlesville,  
Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. 32773

Enclosed find Approved Application No. 32773 . This is your authority to proceed with actual construction work which, under Sections 73-3-10 and 73-3-12, Utah Code Annotated, 1953, as amended, must be diligently prosecuted to completion. The water shall be put to beneficial use and proof of appropriation made to the State Engineer on or before ~~February 28, 1961~~ otherwise the application will lapse.

Failure on your part to comply with the requirements of the statutes may result in forfeiture of this application.

Yours truly,

*Wayne D. Criddle*

Wayne D. Criddle  
STATE ENGINEER  
STATE CAPITOL BUILDING  
SALT LAKE CITY, UTAH

js

Encl: Copy of approved application

APPLICATION APPROVED

## NOTICE TO APPLICANT

The approval of this Application is not a certificate of change. It is merely your authority to begin construction work, which must be diligently prosecuted to completion. To secure a certificate of change under this Application proof of change must be submitted within the time limit allowed by the State Engineer. The amount of water for which certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water covered by the original right. For further information write the State Engineer.

## RULES AND REGULATIONS

Applicants will save time and expense by familiarizing themselves with the law before making Applications.

If the reservoir is to be located on the channel of the source from which the water is to be appropriated, it should be so stated under explanatory, and—

1. The location of the impounding dam should be described in Paragraph 16.
2. The point where the released storage will be reddiverted from the natural stream should be described under explanatory in accordance with the note under Paragraph 16.

When the water is to be stored in other than the natural channel of the source from which it is to be appropriated, it should be so stated under explanatory, and—

1. The point of diversion from the supplying source should be described in Paragraph 16.
2. The intersection of the longitudinal axis of impounding dam and centerline of stream channel or drainage and a similar point where the released storage will be reddiverted from a natural channel should be described under explanatory in accordance with the note under Paragraph 16.

In all cases Paragraphs 17 to 27, incl., should describe the proposed diverting and carrying works, exclusive of natural channels, even if already constructed in whole or in part.

If it is proposed to collect the water of a number of springs or other sources at a common point, said point should be described as the point of collection in Paragraph 16, and the point of diversion from each source should also be described under explanatory in accordance with the note in Paragraph 16. The quantity of water sought from each source should be indicated under explanatory, the total equaling the quantity specified in Paragraphs 12 or 13. Where the source of supply is in reality a spring area, the point of diversion is the point where the water is collected; in such case the exterior boundary of the spring area must be described under explanatory by metes and bounds and located with reference to the same point as used in describing the point of collection and as outlined by the note under Paragraph 16.

No enlargement of an original water right may be made by a change Application, either as to quantity of water covered, period of use or otherwise.

When there are two or more coapplicants the Application must be accompanied by a power of attorney.

The applicant's permanent address should be given in Paragraph 2, and the State Engineer notified promptly of any change in address; otherwise applicant may lose rights initiated by Application by failing to receive notices sent from the State Engineer's office.

No Application or other paper pertaining to an Application will be marked received unless accompanied with the required filing fee.

Applications accepted and numbered by the State Engineer, when returned to applicant for correction or additions, must be amended with red ink. Erasures must not be made, but any matter may be eliminated by running a red line through it. Corrected Applications must be resubmitted to the State Engineer's office, within sixty days from the date of State Engineer's letter returning Application for correction; otherwise the priority of the right to change will be brought down to date corrected Application is resubmitted.

Applicants will be informed by the State Engineer's office when cost of publishing notice of Application is due, and must advance cost within sixty days after date of notice, otherwise Application will lapse.

## Fees Required by Law Payable to State Engineer

For examining and filing Applications for change of point of diversion, place and nature of use.....	\$2.50
For approving and recording Applications for change of point of diversion, place and nature of use.....	\$2.50
For filing written proof of change.....	\$1.00
For examining maps, profiles and drawings that are part of the proof of change.....	\$5.00
For issuing certificate of change.....	\$1.00

NOTE—In addition to the above fees applicants must pay the cost of publication of "Notice to Water Users" concerning the proposed change.

20. The length of the diverting channel, exclusive of laterals, will be 15,000 feet  
(If an existing channel is used give only the length of that part used under this Application)
21. The top width of the diverting channel will be (if a ditch) XX feet
22. The bottom width of the diverting channel will be (if a ditch) XX feet
23. The depth of water in the diverting channel will be (if a ditch) XX feet
24. The width of diverting channel will be (if a flume) XX feet
25. The depth of water in the diverting channel will be (if a flume) XX feet
26. The diameter of the diverting channel will be (if a pipe) 12.75 inches C.D. inches
27. The grade of the diverting channel will be 21.4 feet per thousand
28. The point at which it is proposed to return the water is situated (See note under 16) XX

29. The water is to be used for the same purposes as specified in the  
original Application No. 32773

Total XX acres.

NOTE—If for irrigation, give legal subdivisions of land to be irrigated. If for other purposes, give place and extent of proposed use. If for power give number, size and make of wheels, head under which they will operate, total H. P. to be developed and place where power will be used.

30. The character of the soil to be irrigated is XX; subsoil XX

NOTE—Number 30 is to be filled in only when proposed change is for irrigation.

31. If paragraph 12 designates that only part of the right described in paragraph 1 to 11 inclusive is to be changed, designate the status of the water so affected by this change as to its being abandoned or used as heretofore.

## EXPLANATORY

NOTE—Paragraph 13 on page 1 must not be used except when storage is contemplated; in such case Paragraph 14 should indicate the time in each year during which the water will be released and used. The lands to be inundated by the reservoir must be described in the space below this note as nearly as may be and by government subdivisions if upon surveyed land, and the area of the reservoir when at full stage should be given in acres; the height of the impounding dam must also be specified.

The following additional facts are set forth in order to define more clearly the full purpose of the proposed change:

The original Application No. 32773 specified        points of diversion situate in Section 5, T. 41S., R. 24E., San Juan County, Utah, and bears the following notation: "Diversion will be from one or more or all of the above diversion points. Water from the several diversion points will be commingled in conveyance works or in use. The applicant proposes to divert water from the San Juan River partly or wholly by means of infiltration wells, pits or horizontal galleries, dug in the alluvial fill within the stream valley. The exact number, depth, diameter, spacing and yield of such wells, pits or galleries will be determined during the project construction; however, the aggregate withdrawal rate will not exceed that specified." The purpose of this Change Application is to secure approval of additional alternative points of diversion as hereinafter specified without waiver of any rights under the original Application and without increase in the quantity of water applied for or the ultimate objective and purpose of the original Application.

See "Explanatory" continued on attached sheet.

PHILLIPS PETROLEUM COMPANY

Signature of Applicant.

BY

Vice-President of Production

EXPLANATORY - contd. from printed form.

The additional alternative points of diversion from the source are in Section 3, T. 41S., R. 24E., San Juan County, Utah, situate at points as follows:

<u>Diversion Point</u>	<u>From West Line</u>	<u>From North Line</u>	<u>Subdivision</u>
1	100'	1780'	SW $\frac{1}{4}$ NW $\frac{1}{4}$
2	365'	1780'	"
3	630'	1770'	"
4	900'	1620'	"
5	1170'	1620'	"
6	1400'	1600'	SE $\frac{1}{4}$ NW $\frac{1}{4}$
7	1530'	1600'	"
8	1900'	1600'	"
9	2150'	1620'	"
10	2400'	1700'	"
11	2640'	1750'	"
12	2900'	1810'	SW $\frac{1}{4}$ NE $\frac{1}{4}$
13	3180'	1900'	"
14	3400'	1950'	"
15	3650'	2050'	"
16	3870'	2225'	"
17	4100'	2450'	SE $\frac{1}{4}$ NE $\frac{1}{4}$
18	4250'	2700'	NE $\frac{1}{4}$ SE $\frac{1}{4}$
19	4380'	2975'	"
20	4420'	3250'	"

OPERATOR Phillips Petroleum DATE 9-6-83  
WELL NAME Rathbun Unit #20-33  
SEC NWSE 20 T 41S R 24E COUNTY San Juan

43-037-30931  
API NUMBER

Indian  
TYPE OF LEASE

POSTING CHECK OFF:

☐

INDEX

☐

MAP

☐

HL

☐

NID

☐☐

PI

PROCESSING COMMENTS:

Unit Well

Water &

✓  
9/7/83  
CHIEF PETROLEUM ENGINEER REVIEW:

APPROVAL LETTER:

SPACING:

☒

A-3

Rathbun Unit  
UNIT

☐

c-3-a

CAUSE NO. & DATE

☐

c-3-b

☐

c-3-c

SPECIAL LANGUAGE:

Water

☒ RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON FLAT MAP.

☒ AUTHENTICATE LEASE AND OPERATOR INFORMATION

☒ VERIFY ADEQUATE AND PROPER BONDING

☒ AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

☐ APPLY SPACING CONSIDERATION

☐ ORDER \_\_\_\_\_

☒ UNIT Ratherford Unit

☐ c-3-b

☐ c-3-c

☒ CHECK DISTANCE TO NEAREST WELL.

☐ CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.

☒ IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

☒ IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

September 7, 1983

Phillips Petroleum Company  
P. O. Box 2920  
Casper, Wyoming 82602

RE: Well No. Ratherford Unit 20-33  
NWSE Sec. 20, T. 41S, R. 24E  
1910' FSL, 2140' FHL  
San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer  
Office: 533-5771  
Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30931.

Sincerely,

R. J. Firth  
Chief Petroleum Engineer

RJF/as  
cc: Branch of Fluid Minerals (2)  
BIA  
Encl.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS

Lease No. 14-603-353

Communitization Agreement No. NA  
Field Name Greater Aneth  
Unit Name Ratherford Unit (SW-I-4192)  
Participating Area Paradox  
County San Juan State Utah  
Operator Phillips Petroleum Company

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of  
November, 1983

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec & 1/4 of 4	TWP	RNG	Well Status	Days Prod.	Bbls of Oil	MG of Gas	Bbls of Water	Remarks
20-33	Sec. 20 NW SE	41S	24E	DRG		INITIAL REPORT			
						Present Operation as of December 1, 1983 - PBTB 5683. WO Completion Unit.			
						MI & RU Dry hole digger 11/10/83. Drld 18" cond hole to 125'. Set 4 jts 13-3/8" H-40 csg at 125', cmt'd w/ 150 sx Class B. Displ'd w/17 BW leaving 2 bbls cmt in csg. Circ 7 bbls cmt out. RD & MO dry hole digger 11/11/83. MI & RU Four Corners, Rig #8, 11/14/83. Drld rat & mouse hole. Spudded 12-1/4" surf hole at 1:00 am 11/15/83. Drld to 1595'. Ran 42 jts 9-5/8" 36# K-55 ST&C csg, set at 1595'. RU Dowell and cmt'd as follows: 5 bbl fresh wtr followed by 300 sx Class B w/20% Diacel-D, 1/4#/sx Cellulose Flakes, 2% CaCl2, followed by 300 sx Class B, 1/4#/sx Cellulose flakes w/2% CaCl2. Drop plug & displace w/121 bbls. Circ cmt, WOC, cut 9-5/8" csg. Weld on Bradenhead. NU BOP and Tested, OK. Test csg to 1500 psi, OK. Drld out w/8-3/4" bit, perform leak-off test to 14 ppg equivalent, did not leak-off. Drld to TD 5727' at 7:30 am, 11/26/83. RU Gearhart. Made 2 runs, (Cont'd)			

\*If none, so state.

Disposition of production (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
On hand, Start of Month			
Produced			
Sold			
Spilled or Lost			
Flared or Vented			
Used on Lease			
Injected			
Surface Pits			
Other (Identify)			
On hand, End of Month			
GAPI Gravity/BTU Content			

Authorized Signature:  A. E. Stuart Address: P.O. Box 2920, Casper, WY 82602

Title: Area Manager



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS  
(Continued)

Lease No. 14-20-603-353

Communitization Agreement No. NA  
Field Name Greater Aneth  
Unit Name Rafterford Unit (SW-I-4192)  
Participating Area Paradox  
County San Juan State Utah  
Operator Phillips Petroleum Company

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells)  
for the month of November, 1983.

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	Barrels of Oil	MCF of Gas	Barrels of Water	Remarks
20-33									Continued From Page 1  DLL, MSFL/GR & CDL/CNL. Ran 158 jts 7" csg from btm - 28 jts (1130.45') 26# Butt RD K-55, 129 jts (4559.89') 23# K-55 R3 ST&C and 1 jt (38.98') 26# for gauge. Set csg at 5727' RKB. Pmpd 200 bbls chemical wash. Cntd w/400 sx Class B w/20% Diacel-D with 10#/sx Gilsonite, 10% salt and 1/4#/sx Celloflake. Followed w/300 sx Class B with 3/4% D-60, 18% salt & 1/4#/sx Celloflake. FC at 5682.53' PBD. Press to 2000 psi for 10 min. Set slips, cut off & ND. Released rig at 4:00 pm, 11/27/83. Now WO Completion Unit.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 8-329 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS

Lease No. 14-603-353

Communitization Agreement No. NA  
Field Name Greater Aneth  
Unit Name Ratherford Unit (SW-I-4192)  
Participating Area Paradox  
County San Juan State Utah  
Operator Phillips Petroleum Company

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of  
December, 19 83

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
20-33	Sec. 20 NW SE	41S	24E	DRG	Present	Operation as of January 1, 1984 - PBTD 5675'. Flwg on test. MI & RU Completion Unit, 12/3/83. NU tbg spool. Test packoff to 2400 psi for 10 min. NU 6" 3000 psi BOP. Tstd BOP & Valve to 500-3000 psi. Tstd csg to 1500 psi for 15 min. PU 6-1/8" bit. csg scraper and 173 jts 2-7/8" tbg. Tagged cmt at 5675', new PBTD. RU Gearhart. RU Lubricator and tstd to 1500 psi, OK. Ran CBL/VDL/GR/CCL to 5670'. Ran CBL w/1500 psi. WIH w/4" hollow steel carrier gun. Perf'd 5592-5610', 2 SPF, 36 shots, all fired. No press buildup after firing. RD & MO Gearhart. WIH w/Baker R-3 Retr Pkr, SN, and 166 jts 2-7/8" 6.5# J-55 tbg. Stripped off BOP. NU tree and set pkr at 5463'. Acidized w/2700 Gal 28% HCL acid w/51 ball sealers evenly spaced throughout. ISIP 2100 psi, 5 min - SIP 1600 psi, 10 min - SIP 1300, 15 min - SIP 1200. Started flwg back on 12/64" CK at 525 psi 12/8/83. Flwd on test through December 31, 1983, averaging 326 BOPD, 2 BWPD.			

\*If none, so state.

Disposition of production (Lease, Participating Area, or Communitized Area basis)

Oil & Condensate  
(BBLS)

Gas  
(MCF)

Water  
(BBLS)

\*On hand, Start of Month  
\*Produced  
\*Sold  
\*Spilled or Lost  
\*Flared or Vented  
\*Used on Lease  
\*Injected  
\*Surface Pits  
\*Other (Identify)  
\*On hand, End of Month  
\*API Gravity/BTU Content

XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX

Authorized Signature:  A.E. Stuart

Address: P.O. Box 2920, Casper, WY 82602

Title: Area Manager

# APPLICATION TO APPROPRIATE WATER STATE OF UTAH

NOTE:—The information given in the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be made on the following page under the heading "Explanatory."

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah.

1. Irrigation ☐ Domestic ☐ Stockwatering ☐ Municipal ☐ Power ☐ Mining ☒ Other Uses ☐

2. The name of the applicant is PHILLIPS PETROLEUM COMPANY

3. The Post Office address of the applicant is Bartlesville, Oklahoma

4. The quantity of water to be appropriated is -- 8 -- second-feet or            acre-feet

5. The water is to be used for See Explanatory from January 1 to December 31  
(Major Purpose) (Month) (Day) (Month) (Day)

other use period            from            to             
(Minor Purpose) (Month) (Day) (Month) (Day)

and stored each year (if stored) from            to             
(Month) (Day) (Month) (Day)

6. The drainage area to which the direct source of supply belongs is             
(Leave Blank)

7. The direct source of supply is\* Underground water and subsurface flow of San Juan River  
(Name of stream or other source)

which is tributary to Colorado River tributary to           

\*Note.—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground Water" in the first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the first space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water may sink, evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel before being diverted, the direct source should be designated as a stream and not a spring.

8. The point of diversion from the source is in San Juan County, situated at a point\*

~~See Explanatory~~ #1-S. 1000 ft. and W. 150 ft.; #2-S. 1000 ft. and W. 450 ft.; #3-S. 1000 ft. and W. 750 ft.; #4-S. 1000 ft. and W. 1050 ft.; #5-S. 1000 ft. and W. 1350 ft.; #6-S. 1000 ft. and W. 1650 ft.; #7-S. 1000 ft. and W. 1950 ft.; #8-S. 1000 ft. and W. 2250 ft.; #9-S. 1000 ft. and W. 2550 ft.; and #10-S. 1000 ft. and W. 2850 ft.; all from NE Cor. Sec. 5, T15S, R24E, SLB&M. (See letter of 7-16-57 attached)

\*Note.—The point of diversion must be located definitely by course and distance or by giving the distances north or south, and east or west with reference to a United States land survey corner or United States mineral monument, if within a distance of six miles of either, or if at a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the point of diversion is not defined definitely.

9. The diverting and carrying works will consist of See Explanatory

10. If water is to be stored, give capacity of reservoir in acre-feet            height of dam             
area inundated in acres            legal subdivision of area inundated           

11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows:

Total            Acres

12. Is the land owned by the applicant? Yes            No           

13. Is this water to be used supplementally with other water rights? Yes            No           

If "yes," identify other water rights under explanatory.

14. If application is for power purposes, describe type of plant, size and rated capacity           

15. If application is for mining, the water will be used in Greater Aneth Area ~~oil field~~  
~~oil field~~ where the following ores are mined oil and gas

16. If application is for stockwatering purposes, number and kind of stock watered           

17. If application is for domestic purposes, number of families to be served           

18. If application is for municipal purposes, name of municipality           

19. If application is for other uses, include general description of proposed uses           

20. Give place of use by legal subdivision of the United States Land Survey for all uses described in paragraphs 14 to 19, incl. See Explanatory

21. The use of water as set forth in this application will consume -- 8 -- second-feet of water  
and -- 0 -- second feet will be returned to the natural stream or source at a point described as follows:

## EXPLANATORY

The following additional facts are set forth in order to define more clearly the full purpose of the proposed application:

## ITEM 7

The water will be pumped from the diversion area to the oil field where the water will be injected under pressure through deep wells into the petroleum-bearing formations for pressure maintenance and secondary recovery purposes.

## ITEM 8

The point or points of diversion from the source will be in Section 5, T41S, R24E S1M, San Juan County, situated as follows: From that point at which the south bank of the river channel intersects the east line of Section 5, T41S, R24E, to that point at which the South bank of river channel intersects the North line of Section 5, T41S, R24E.

Diversion will be from one or more wells or infiltration galleries to be drilled in the alluvial fill and to be located as close to the South bank of the river channel as is practical within the east-west limits as above defined. Specific location and number of diversion points will be determined by a hydrographic survey and/or producing characteristics of wells to be drilled. The aggregate withdrawal, the rate of which is not to exceed that specified in this application, will be commingled in a conveyance works described in greater detail herein.

## ITEM 9

The diverting and carrying works will consist of 12-1/4" diameter wells, cased with 35 to 50 feet of 8-5/8 inch outside diameter pipe to be drilled to depths of from 35 feet to 50 feet and about 13,500 feet of 10-3/4 inch conveyance pipe to places of use.

## ITEM 20

Township 41 South, Range 23 East, S1M  
S/2 Sec. 1; SE/4 Sec. 2; E/2 Sec. 11; All Sec. 12; All Sec. 13, E/2 Sec. 14, NE/4 Sec. 24.

Township 41 South, Range 24 East, S1M

All Sections 3, 4, 5, 6, 7, 8, 9, 10; W/2 Sec. 11, W/2 Sec. 14; All Sections 15, 16, 17, 18, 19, 20, 21; NW/4, W/2 SW/4 Sec. 22; W/2 NE/4, NW/4, W/2 SW/4 Sec. 28; All Sections 29, 30; N/2 Sec. 31; N/2 Sec. 32.

Said described lands, which are in San Juan County, Utah, constitute the Ratherford portion of the Greater Aneth Area oil field.

Continued on page 4

(Use page 4 if additional explanatory is needed.)

The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purpose herein described.

PHILLIPS PETROLEUM COMPANY

By:

Signature of Applicant

VICE PRESIDENT OF PRODUCTION

\*If applicant is a corporation or other organization, signature must be the name of such corporation or organization by its proper officer, or in the name of the partnership by one of the partners, and the names of the other partners shall be listed. If a corporation or partnership, the affidavit below need not be filled in. If there is more than one applicant, a power of attorney, authorizing one to act for all, should accompany the Application.

## DECLARATION OF CITIZENSHIP

STATE OF UTAH, } ss  
County of \_\_\_\_\_

On the \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_,

notary public for the State of Utah, the above applicant who, on oath, declared that he is a citizen of the United States, or has declared his intention to become such a citizen.

My commission expires:

(SEAL)

Notary Public

## FEES FOR APPLICATIONS TO APPROPRIATE WATER IN UTAH

Flow rate — c.f.s.		Cost
0.0	to 0.1.....	\$ 10.00
over 0.1	to 0.5.....	20.00
over 0.5	to 1.0.....	30.00
over 1.0	to 15.0.....	30.00 plus \$5/cfs above 1.00 cfs.
over 15.0		100.00
Storage — acre-feet		
0	to 20.....	15.00
over 20	to 500.....	30.00
over 500	to 7500.....	30.00 plus \$5/500 a. f. above first 500
over 7500		100.00

(This section is not to be filled in by applicant)

## STATE ENGINEER'S ENDORSEMENTS

1. Feb. 27, 1961 Application received by mail in State Engineer's office by ...
2. .... Priority of Application brought down to, on account of .....
3. Feb. 27, 1961 Application fee, \$ 5.50, received by ..... Rec. No. 022365
4. Mar. 10, 1961 Application PHOTOSTATED in book 711.3.2 page 357, and indexed by ...
5. ... Application platted by ...
6. April 7, 1961 Application examined by ...
7. .... Application returned, ..... or corrected by office .....
8. .... Corrected Application resubmitted over counter to State Engineer's office.
9. April 7, 1961 Application approved for advertisement by ...
10. June 16, 1961 Notice to water users prepared by R. K. H.
11. June 27, 1961 Publication began; was completed July 13, 1961
- Notice published in Santa Juan Record, Monticello, Utah
12. June 27, 1961 Proof slips checked by ...
13. .... Application protested by .....
14. July 25, 1961 Subscribers paid \$22-1016-22
15. .... Hearing held by .....
16. Sept. 5, 1961 Application designated for approval rejection ...
17. Sept. 11, 1961 Application copied or photostated by T.E. proofread by .....
18. Sept. 11, 1961 Application approved rejected
19. Conditions:
- This Application is approved, subject to prior rights, as follows:
- a. Actual construction work shall be diligently prosecuted to completion.
- b. Proof of Appropriation shall be submitted to the State Engineer's office by Feb. 28, 1963
- c. ....
20. .... Time for making Proof of Appropriation extended to .....
21. .... Proof of Appropriation submitted.
22. .... Certificate of Appropriation, No. ...., issued

Wayne D. Criddle State Engineer.

Application No. 32773

## EXPLANATORY CONTINUED

The use of the applied for water for the planned pressure maintenance and secondary recovery operations will permit the recovery of substantial quantities of oil and gas which would otherwise not be recovered.

## NOTICE TO APPLICANT

All waters in this state, whether above or under the ground, are the property of the public, subject to all existing rights to the use thereof. No appropriation of the unappropriated public water may be made and no rights to the use thereof shall be recognized except Application for such appropriation first be made to the State Engineer.

The approval of this Application is not a Certificate of Appropriation. It is merely your authority to begin construction work, which must be prosecuted diligently to completion. To secure a Certificate of Appropriation under this Application, Proof of Appropriation must be submitted within the time limit allowed by the State Engineer. The amount of water for which Certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water specified in this Application. Proof of Appropriation must be made in accordance with the requirements of the law. For further information write the State Engineer.

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. <u>API 43-037-30931</u>
2. NAME OF OPERATOR <u>PHILLIPS PETROLEUM COMPANY</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR <u>ATTN: RMR DRIG GROUP</u>		7. UNIT AGREEMENT NAME <u>Ratherford Unit.</u>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <u>8055 E. TUFTS AVE. PKWY.</u> <u>DENVER, CO 80237</u>		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO. <u>20-33</u>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <u>5728' GL</u>		10. FIELD AND POOL, OR WILDCAT <u>GREATER ANETH</u>
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <u>SEC 20-T 41S-R 24E.</u>
		12. COUNTY OR PARISH <u>SAN JUAN</u>
		13. STATE <u>UTAH</u>

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:


TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) 5 1/2" Prod. CsgPULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5 1/2" Prod Csg @ 5728'Drilled BY FOUR CORNERS DRIG CO.

18. I hereby certify that the foregoing is true and correct

SIGNED Bobby CuppTITLE STAFF DEVELOPMENT SUPERVISORDATE 12-19-83

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other  
well well2. NAME OF OPERATOR  
Phillips Petroleum Company3. ADDRESS OF OPERATOR  
8055 E Tufts Ave Pkwy, Denver, CO 802374. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1910 FSL & 2140 FEL (NW/SE)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON\* ☐(other) ☐

SUBSEQUENT REPORT OF:

☐☐☐☐☐☐☐☐☐5. LEASE  
14-20-603-3536. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo7. UNIT AGREEMENT NAME  
SW-I-41928. FARM OR LEASE NAME  
Ratherford Unit9. WELL NO.  
20-3310. FIELD OR WILDCAT NAME  
Greater Aneth11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 20, T41S, R24E12. COUNTY OR PARISH 13. STATE  
San Juan Utah14. API NO.  
43-037-3093115. ELEVATIONS (SHOW DF, KDB, AND WD)  
4833' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded well November 14, 1983, with Four Corners Rig #8. Drilled 12-1/4" hole to 1595'. Ran 1595' 9-5/8" 36# K-55 casing, cemented with 720 ft<sup>3</sup> (300 sx) Class B w/20% Diacel D, tailed with 360 ft<sup>3</sup> (300 sx) Class B cement, circulated. Job complete 11-16-83. Drilled 8-3/4" hole to 5727'. Ran 5727' 7" 23# and 26# K-55 casing. Cemented with 960 ft<sup>3</sup> (400 sx) Class B w/20% Diacel D, tailed with 360 ft<sup>3</sup> (300 sx) Class B w/18% salt. Pressure tested casing to 1500 psi. Job completed November 29, 1983, TOC at 1840.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Drilling Manager DATE December 29, 1983

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY

TITLE \_\_\_\_\_ DATE \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form 9-329 Rev. Feb 76  
OMB 42-RO356

MONTHLY REPORT  
OF  
OPERATIONS

Lease No. 20-603-353  
Communitization Agreement No. NA  
Field Name Greater Aneth  
Unit Name Ratherford Unit (SW-1-4192)  
Participating Area Paradox  
County San Juan State Utah  
Operator Phillips Oil Company

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of  
January, 19 84

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	Barrels of Oil	MCF of Gas	Barrels of Water	Remarks
20-33	Sec. 20 NW SE	41S	24E	DRG		TD 5727', PBTD 5675'	FINAL REPORT		
						Ran pump and rods and started well pmpg 1/6/84. Completed as a pmpg oil well 12/8/83 from Desert Creek Zone I perfs 5592-5610' with a final test of 203 BOPD, 81 MCFGPD, 2 BWPD, GOR 399.			

\*If none, so state.

Disposition of production (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (EBLS)	Gas (MCF)	Water (BBLs)
*On hand, Start of Month		XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Produced			
*Sold			XXXXXXXXXXXXXXXXXXXX
*Spilled or Lost		XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXX
*Used on Lease			XXXXXXXXXXXXXXXXXXXX
*Injected			
*Surface Pits	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	
*Other (Identify)			
*On hand, End of Month		XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content			XXXXXXXXXXXXXXXXXXXX

Authorized Signature: A. E. Stuart Address: P.O. Box 2920, Casper, WY 82602

Title: Area Manager

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYForm Approved.  
Budget Bureau No. 42-R1424

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well ☐ gas well ☐ other
2. NAME OF OPERATOR  
Phillips Oil Company
3. ADDRESS OF OPERATOR  
P.O. Box 2920, Casper, WY 82602
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

## SUBSEQUENT REPORT OF:

(other) ☒ Change of Operator

5. LEASE	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
7. UNIT AGREEMENT NAME SW-I-4192	
8. FARM OR LEASE NAME Ratherford Unit	
9. WELL NO.	
10. FIELD OR WILDCAT NAME Greater Aneth	
11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA	
12. COUNTY OR PARISH San Juan	13. STATE Utah
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB AND WD)	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Effective December 1, 1983, Phillips Oil Company assumed operations from Phillips Petroleum Company. The following wells had Applications for Permits to Drill submitted under Phillips Petroleum Company:

Ratherford Unit #19-42, 20-13, 20-44, 20-22, 20-24, 20-33, 21-13, 29-42, 29-32, & 29-33. + 29-31

DIVISION OF  
OIL, GAS & MINING

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED A. E. StuartTITLE Area ManagerDATE 1/13/84

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R355.5

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL:		OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input type="checkbox"/>	Other <input type="checkbox"/>
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>
2. NAME OF OPERATOR		Phillips Oil Company			
3. ADDRESS OF OPERATOR		P.O. Box 2920, Casper, WY 82602			
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*		At surface 1910' FSL & 2140' FEL, NW SE 1/4, GAS & MINING			
At top prod. interval reported below		At total depth			
14. PERMIT NO.		DATE ISSUED		12. COUNTY OR PARISH	
43-037-30931		9/7/83		San Juan	
13. STATE		Utah			
5. LEASE DESIGNATION AND SERIAL NO.		14-20-603-353			
6. IF INDIAN, ALLOTTEE OR TRIBE NAME		Navajo			
7. UNIT AGREEMENT NAME		SW-I-4192			
8. FARM OR LEASE NAME		Ratherford Unit			
9. WELL NO.		20-33			
10. FIELD AND POOL, OR WILDCAT		Greater Aneth			
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA		Sec. 20-T41S-R24E			
15. DATE SPUN		16. DATE T.D. REACHED		17. DATE COMPL. (Ready to prod.)	
5/27/83		11/26/83		12/8/83	
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*		19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD	
GR 4832' RKB 4844'		--		5727'	
21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY	
5675'		--		0 - 5727'	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*		25. WAS DIRECTIONAL SURVEY MADE		26. TYPE ELECTRIC AND OTHER LOGS RUN	
5592' - 5610' Desert Creek Zone I		No		DLL-MSFL-GR & CDI-CND	
27. WAS WELL CORED		No			
28. CASING RECORD (Report all strings set in well)					
CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	125'	18"	150 sx Class B	--
9-5/8"	36#	1595'	12-1/4"	600 sx Class B	--
7"	23# & 26#	5727'	8-3/4"	700 sx Class B	--
29. LINER RECORD					
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	
--	--	--	--	--	
30. TUBING RECORD					
SIZE	DEPTH SET (MD)	PACKER SET (MD)			
2-7/8"	5439'	--			
31. PERFORATION RECORD (Interval, size and number)					
5592-5610', 2 SPF, 36 holes, 4" hollow steel carrier gun.					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
5592-5610'		Acidized w/2700 gal 28% HCL w/51 ball sealers.			
		Displd w/37 bbls 1se wtr.			
33. PRODUCTION					
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)			WELL STATUS (Producing or shut-in)
12/8/83		Pumping 1-3/4" pump			Producing
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.
1/12/84	24	--	--	203	81
WATER—BBL.	GAS-OIL RATIO				
2	399				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.
160	--	--	203	81	2
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)					TEST WITNESSED BY
Sold					--
35. LIST OF ATTACHMENTS					
None					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED		TITLE		DATE	
A. E. Stuart		Area Manager		1/17/84	

3 - BLM, Farmington (See Instructions and Spaces for Additional Data on Reverse Side)

2 - Utah O&amp;GCC, SLC

1 - Whitmire

1 - Fraser

1 - File

1 - BIA, Shiprock

1 - Coffelt

1 - W.I. Owners

1 - Navajo Nation

1 - B. Conner, B'Ville

1 - Poling

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
NO CORES OR DST'S RUN.			Shinarump DeChelly Hermosa Paradox	LOG TOPS	2410'
					2690'
					4630'
					5450'

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR  
Phillips Petroleum Company
3. ADDRESS OF OPERATOR  
8055 E. Tufts Ave. Pkwy./Denver, CO. 82037
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1910 FSL & 2140 FEL (NW SE)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)		

5. LEASE  
14-20-603-353
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo
7. UNIT AGREEMENT NAME  
SW-I-4192
8. FARM OR LEASE NAME  
Ratherford Unit
9. WELL NO.  
20-33
10. FIELD OR WILDCAT NAME  
Greater Aneth
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 20-T41S-R24E
12. COUNTY OR PARISH  
San Juan
13. STATE  
Utah
14. API NO.  
43-037-30931
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4844 RKB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 18" conductor hole to 125 ft. Ran 125 ft., 13-3/8" 48# H-40 conductor casing. Casing set at 125'. Cemented with 180 ft<sup>3</sup> (150 sx) class 'B' cement circulated to surface. Finished job and moved out rat hole driller 11-11-83. Moved in drilling rig to spud well. See Sundry notice dated 12-29-83. Reached TD of 5727 ft 11-26-83. Plug back total depth is 5675 ft.



Subsurface Safety Valve: Manu. and Type \_\_\_\_\_

Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Sheldon B. Beck TITLE Drilling Manager DATE 21-2-84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

- 6 - BLM Farmington  
2 - ~~Oil & Gas~~ CC Salt Lake City  
1 - File  
1 - T. M. Issacs  
1 - Casper

\*See Instructions on Reverse Side

# Mobil Oil Corporation

P.O. BOX 5444  
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

RECEIVED  
MAY 16 1986

DIVISION OF  
OIL, GAS & MINING

Attn: R. J. Firth  
Associate Director

## SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



CNE/rd  
CNE8661

R. D. Baker  
Environmental Regulatory Manager

STATE OF UTAH  
DIVISION OF OIL, GAS AND MININGPage 1 of 1

## MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

*L.B. Sheffield*~~BRIAN BERRY~~~~NEPNA MOBIL~~~~POB 219031 1807A RENTWY~~ *P.O. DRAWER 6*~~DALLAS TX 75221-9031~~ *CORTEZ, CO. 81321*UTAH ACCOUNT NUMBER: N7370REPORT PERIOD (MONTH/YEAR): 7 / 93AMENDED REPORT ☐ (Highlight Changes)*\*931006 updated.  
Lee*

ENTITY NUMBER	PRODUCT	GRAVITY	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
		BTU			TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS				249710	243825	5885			

COMMENTS:

*PLEASE NOTE ADDRESS change. All in ~~new~~ PRODUCTION Reports  
will be compiled and sent from the Cortez, Co. office  
IN THE FUTURE.*

I hereby certify that this report is true and complete to the best of my knowledge.

Name and Signature:

*L. B. Sheffield*

Date:

*9/5/93*

Telephone Number:

*303.565.2212  
244.658.2528*

STATE OF UTAH  
DIVISION OF OIL, GAS AND MININGPage 1 of 10

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER: N0772

P J KONKEL  
PHILLIPS PETROLEUM COMPANY  
5525 HWY 64 NBU 3004  
FARMINGTON NM 87401

AUG 16 1993

REPORT PERIOD (MONTH/YEAR):

6 / 93

DIVISION OF  
OIL, GAS & MININGAMENDED REPORT ☐ (Highlight Changes)

Well Name					Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location						OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23										
4303713754	06280	41S	24E	21	DSCR	POW	29	1374	883	58
#3-44										
4303715031	06280	41S	24E	3	DSCR	POW	30	111	94	2905
#3-14										
4303715124	06280	41S	24E	3	DSCR	POW	30	67	23	302
#9-12										
4303715126	06280	41S	24E	9	DSCR	POW	30	112	654	17363
#9-14										
4303715127	06280	41S	24E	9	DSCR	POW	30	201	315	423
#28-12										
4303715336	06280	41S	24E	28	PRDX	POW	29	112	47	2428
#29-12										
4303715337	06280	41S	24E	29	PRDX	POW	29	56	0	672
#29-32										
4303715339	06280	41S	24E	29	DSCR	POW	29	1402	287	2224
#29-34										
4303715340	06280	41S	24E	29	DSCR	POW	29	757	48	0
#30-32										
4303715342	06280	41S	24E	30	DSCR	POW	29	588	1049	3744
#3-12										
4303715620	06280	41S	24E	3	DSCR	POW	30	268	11	363
#9-34										
4303715711	06280	41S	24E	9	DSCR	POW	30	45	46	9800
#10-12										
4303715712	06280	41S	24E	10	DSCR	POW	30	45	23	1088
TOTALS								5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the  
 Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box  
 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

*Pat Konkell*

Telephone Number: 505 599-3452



STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		5. LEASE DESIGNATION & SERIAL NO.  6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO TRIBAL
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME RATHERFORD UNIT	
2. NAME OF OPERATOR MOBIL OIL CORPORATION		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR P. O. BOX 633 MIDLAND, TX 79702		9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface  At proposed prod. zone		10. FIELD AND POOL, OR WILDCAT GREATER ANETH
14. API NO.		11. SEC., T., R., N. OR BLK. AND SURVEY OR AREA
15. ELEVATIONS (Show whether DF, RT, GR, etc.)		12. COUNTY SAN JUAN
13. STATE UTAH		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>CHANGE OF OPERATOR</u>	
(Other) <input type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
APPROX. DATE WORK WILL START _____		DATE OF COMPLETION _____	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

\* Must be accompanied by a cement verification report.

AS OF JULY1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT.  
ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct

SIGNED <u>Shirley Dodd</u>	TITLE <u>ENV. &amp; REG TECHNICIAN</u>	DATE <u>9-8-93</u>
(This space for Federal or State office use)		
APPROVED BY _____	TITLE _____	DATE _____
CONDITIONS OF APPROVAL, IF ANY:		

See Instructions On Reverse Side

Sept 29, 1993

TO: Lisha Cordova - Utah Mining  
Oil & Gas

FROM: Janice Easley  
BLM Farmington, NM  
505 599-6355

Here is copy of Rutherford Unit  
Successor Operator,

4 pages including this one.

*24: Rutherford Unit (GC)*

RECEIVED  
BLM

SEP 27 AM 11:44

OTO FARMINGTON, NM

Navajo Area Office  
P. O. Box 1060  
Gallup, New Mexico 87305-1060

ARES/543

JUL 26 1993


Mr. G. D. Cox  
Mobil Exploration and  
Producing North America, Inc.  
P. O. Box 633  
Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Rutherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,



ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.  
TNN, Director, Minerals Department w/enc.

MINERAL RIGHTS	1
PHILLIPS	3
MOBIL	2
OTHER	
ALL SUPP.	
FILE	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF INDIAN AFFAIRS

DESIGNATION OF OPERATOR

RECEIVED  
BLM

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona  
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702  
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]  
Attorney-in-Fact

Mobil Exploration and Producing  
North America Inc.

June 11, 1993

By: B. D. Martiny  
Attorney-in-Fact B.D. MARTINY

[Signature]  
APPROVED BY

ACTING

AREA DIRECTOR

TITLE

DATE

7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

## EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

## EXHIBIT "C"

Revised as of September 29, 1992  
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining  
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ Well File \_\_\_\_\_  
(Location) Sec \_\_\_ Twp \_\_\_ Rng \_\_\_  
(API No.) \_\_\_\_\_

☐ Suspense  
(Return Date) \_\_\_\_\_  
(To - Initials) \_\_\_\_\_

☒ Other  
OPERATOR CHANGE

1. Date of Phone Call: 10-6-93 : Time: 9:30

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☒  
Talked to:

Name GLEN COX (Initiated Call ☐ - Phone No. (915) 688-2114  
of (Company/Organization) MOBIL

3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".  
(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL  
OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)

4. Highlights of Conversation: \_\_\_\_\_  
MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS  
PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW  
BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.  
MEPNA-  
PO DRAWER G  
CORTEZ, CO 81321  
(303)565-2212  
\*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY  
REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining  
OPERATOR CHANGE WORKSHEET

Routing:

1	REC/47-93
2	DTG/58-93
3	VLC
4	RJEV
5	DEE
6	AL

Attach all documentation received by the division regarding this change.  
Initial each listed item when completed. Write N/A if item is not applicable.

- ☒ Change of Operator (well sold)      ☐ Designation of Agent  
☐ Designation of Operator      ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator) M E P N A  
(address) PO DRAWER G  
CORTEZ, CO 81321  
GLEN COX (915)688-2114  
phone (303) 565-2212  
account no. N7370

FROM (former operator) PHILLIPS PETROLEUM COMPANY  
(address) 5525 HWY 64 NBU 3004  
FARMINGTON, NM 87401  
PAT KONKEL  
phone (505) 599-3452  
account no. N0772(A)

Well(s) (attach additional page if needed):

**\*RATHERFORD UNIT (NAVAJO)**

Name: <b>**SEE ATTACHED**</b>	API: <u>43-037-3093</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec'd 9-14-93)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_ If yes, show company file number: \_\_\_\_\_.
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 6. Cardex file has been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 7. Well file labels have been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-93)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

## ENTITY REVIEW

- Lee 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

## BOND VERIFICATION (Fee wells only)

- Lee 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no)    . Today's date                      19   . If yes, division response was made by letter dated                      19   .

## LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated                      19   , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

## FILMING

- ✓ 1. All attachments to this form have been microfilmed. Date: 11.17 1993.

## FILING

- Lee 1. Copies of all attachments to this form have been filed in each well file.
- Lee 2. The original of this form and the original attachments have been filed in the Operator Change file.

## COMMENTS

931006 BIA/Bm Approved 7-9-93.



✓ 19W-21	43-037-15741	14-20-603-353	SEC. 19, T41S, R24E	NE/NW 660' FNL 1860' FWL
✓ 19-22	43-037-31046	14-20-603-353	SEC. 19, T41S, R24E	SE/NW 1840' FNL; 1980' FWL
✓ 19W-23	43-037-15742	14-20-603-353	SEC. 19, T41S, R24E	NE/SW 2080' FSL; 1860' FWL
✓ 19-31	43-037-31047	14-20-603-353	SEC. 19, T41S, R24E	NW/NE 510' FNL; 1980' FEL
✓ 19-32	43-037-15743	14-20-603-353	SEC. 19, T41S, R24E	SW/NE 1980' FNL; 1980' FEL
✓ 19-33	43-037-31048	14-20-603-353	SEC. 19, T41S, R24E	NW/SE 1980' FSL; 1980' FEL
✓ 19-34	43-037-15744	14-20-603-353	SEC. 19, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 19W-41	43-037-15745	14-20-603-353	SEC. 19, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 19-42	43-037-30916	14-20-603-353	SEC. 19, T41S, R24E	SE/NE 1880' FNL, 660' FEL
✓ 19W-43	43-037-16420	14-20-603-353	SEC. 19, T41S, R24E	NE/SE 1980' FSL; 760' FEL
✓ 19-44	43-037-31081	14-20-603-353	SEC. 19, T41S, R24E	SE/SE 660' FSL; 660' FEL
✓ 19-97	43-037-31596	14-20-603-353	SEC. 19, T41S, R24E	2562' FNL, 30' FEL
✓ 20-11	43-037-31049	14-20-603-353	SEC. 20, T41S, R24E	NW/NW 500' FNL; 660' FWL
✓ 20-12	43-037-15746	14-20-603-353	SEC. 20, T41S, R24E	1980' FNL, 660' FWL
✓ 20-13	43-037-30917	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2140' FSL, 500' FWL
✓ 20-14	43-037-15747	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 660' FWL
✓ 20W-21	43-037-16423	14-20-603-353	SEC. 20, T41S, R24E	660' FNL; 1880' FWL
✓ 20-22	43-037-30930	14-20-603-353	SEC. 20, T41S, R24E	SE/NW 2020' FNL; 2090' FWL
✓ 20W-23	43-037-15748	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2080; 2120' FWL
✓ 20-24	43-037-30918	14-20-603-353	SEC. 20, T41S, R24E	SE/SW 820' FSL; 1820' FWL
✓ 20-31	43-037-31050	14-20-603-353	SEC. 20, T41S, R24E	NW/NE 660' FNL; 1880' FEL
✓ 20-32	43-037-15749	14-20-603-353	SEC. 20, T41S, R24E	SW/NE 1980' FNL, 1980' FEL
✓ 20-33	43-037-30931	14-20-603-353	SEC. 20, T41S, R24E	NW/SE 1910' FSL; 2140' FEL
✓ 20-34	43-037-15750	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 1850' FEL
✓ 20W-41	43-037-15751	14-20-603-353	SEC. 20, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 20-42	43-037-31051	14-20-603-353	SEC. 20, T41S, R24E	SE/NE 1980' FNL; 660' FEL
✓ 20W-43	43-037-16424	14-20-603-353	SEC. 20, T41S, R24E	2070' FSL; 810' FEL
✓ 20-44	43-037-30915	14-20-603-353	SEC. 20, T41S, R24E	SE/SE 620' FSL; 760' FEL
✓ 20-66	43-037-31592	14-20-603-353	SEC. 20, T41S, R24E	SW/NW 1221' FWL; 1369' FNL
✓ 21-11	43-037-31052	14-20-603-355	SEC. 21, T41S, R24E	NW/NW 660' FNL; 660' FWL
✓ 21-12	43-037-15752	14-20-603-355	SEC. 21, T41S, R24E	2080' FNL; 660' FWL
✓ 21-13	43-037-30921	14-20-603-355	SEC. 21, T41S, R24E	NW/SW 2030' FSL; 515' FWL
✓ 21-14	43-037-15753	14-20-603-355	SEC. 21, T41S, R24E	SW/SW 660' FSL; 460' FWL
✓ 21W-21	43-037-16425	14-20-603-355	SEC. 21, T41S, R24E	NE/NW 660' FNL; 2030' FWL
✓ 21-32	43-037-15755	14-20-603-355	SEC. 21, T41S, R24E	SW/NE 1880' FNL; 1980' FEL
✓ 21-33	NA	14-20-603-355	SEC. 21, T41S, R24E	2000' FSL; 1860' FEL
✓ 21-34	43-037-15756	14-20-603-355	SEC. 21, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 21W-41	43-037-16426	14-20-603-355	SEC. 21, T41S, R24E	660' FNL; 810' FEL
✓ 21W-43	43-037-16427	14-20-603-355	SEC. 21, T41S, R24E	NE/NE 1980' FSL; 660' FEL
✓ 24-11	43-037-15861	14-20-603-247A	SEC. 24, T41S, R24E	510' FNL; 810' FWL
✓ 24W-21	43-037-16429	14-20-603-247	SEC. 24, T41S, R24E	4695' FSL; 3300' FEL
✓ 24W-43	43-037-16430	14-20-603-247	SEC. 24, T41S, R24E	2080' FSL; 660' FEL
✓ 24-31W	43-037-15862	14-20-603-247A	SEC. 24, T41S, R24E	NW/NE 560' FNL; 1830' FEL
✓ 24-32	43-037-31593	14-20-603-247A	SEC. 24, T41S, R24E	SW/NE 2121' FNL; 1846' FEL
✓ 24-41	43-037-31132	14-20-603-247A	SEC. 24, T41S, R24E	NE/NE 660' FNL; 710' FEL
✓ 24W-42	43-037-15863	14-20-603-247A	SEC. 24, T41S, R24E	660' FSL; 1980' FNL
✓ 28-11	43-037-30446	14-20-603-409	SEC. 28, T41S, R24E	NW/NW 520' FNL; 620' FWL
✓ 28-12	43-037-15336	14-20-603-409B	SEC. 28, T41S, R24E	SW/SE/NW 2121' FNL; 623' FWL
✓ 29-11	43-037-31053	14-20-603-407	SEC. 29, T41S, R24E	NW/NW 770' FNL; 585' FWL
✓ 29W-21	43-037-16432	14-20-603-407	SEC. 29, T41S, R24E	NE/NW 667' FNL; 2122' FWL
✓ 29-22	43-037-31082	14-20-603-407	SEC. 29, T41S, R24E	SE/NW 2130' FNL; 1370' FWL
✓ 29W-23	43-037-15338	14-20-603-407	SEC. 29, T41S, R24E	NE/SW 1846' FSL; 1832' FWL
✓ 29-31	43-037-30914	14-20-603-407	SEC. 29, T41S, R24E	NW/NE 700' FNL; 2140' FEL
✓ 29-32	43-037-15339	14-20-603-407	SEC. 29, T41S, R24E	1951' FNL; 1755' FEL
✓ 29-33	43-037-30932	14-20-603-407	SEC. 29, T41S, R24E	NW/SE 1860' FSL; 1820' FEL
✓ 29-34	43-037-15340	14-20-603-407	SEC. 29, T41S, R24E	817' FSL; 2096' FEL
✓ 29W-41	43-037-16433	14-20-603-407	SEC. 29, T41S, R24E	557' FNL; 591' FEL
✓ 29W-42	43-037-30937	14-20-603-407	SEC. 29, T41S, R24E	SE/NE 1850' FNL; 660' FEL
✓ 29W-43	43-037-16434	14-20-603-407	SEC. 29, T41S, R24E	NE/SE 1980' FSL; 660' FEL
✓ 30-21W	43-037-16435	14-20-603-407	SEC. 30, T41S, R24E	660' FNL; 1920' FWL
✓ 30-32	43-037-15342	14-20-603-407	SEC. 30, T41S, R24E	SW/NE 1975' FNL; 2010' FEL
✓ 30W-41	43-037-15343	14-20-603-407	SEC. 30, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 30-34	NA 4303715711	NA 14206034043	NA SEC. 9, T. 41S, R. 24E	NA SWSE 660' FSL 1980' FEL
✓ 12-43	43-307-31202	14-20-603-246	SEC. 12, T41S, R23E	2100' FSL; 660' FEL
✓ 12W31	43-037-15847	14-20-603-246	SEC. 12, T41S, R23E	661' FNL; 1981' FEL
✓ 13W24	43-037-15853	14-20-603-247	SEC. 13, T41S, R23E	SE/SW 660' FSL; 3300' FEL
✓ 15W23	43-037-16412	14-20-603-355	SEC. 15, T41S, R24E	2140' FSL; 1820' FWL
✓ 17-24	43-037-31044	14-20-603-353	SEC. 17, T41S, R24E	SE/SW 720' FSL; 1980' FWL
✓ 18-13	43-037-15734	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 1980' FSL; 500' FWL
✓ 18W32	43-037-15736	14-20-603-353	SEC. 18, T41S, R24E	SW/NE 2140' FNL; 1830' FEL
✓ 20-68	43-037-31591	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 1276' FWL; 1615' FSL
✓ 21-23	43-037-13754	14-20-603-355	SEC. 21, T41S, R24E	NE/SW 1740' FSL 1740' FWL
✓ 28W21	43-037-16431	14-20-603-409	SEC. 29, T41S, R24E	660' FNL; 2022' FWL

PAID

PAID

PAID

PAID

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

MOBIL EXPLORATION & PRODUCING US, AS AGENT FOR MEPNA

3. Address and Telephone No.

P. O. BOX 633, MIDLAND, TX 79702

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1910' FSL, 2140' FEL; SEC 20, T41S, R24E

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-353

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

RATHERFORD UNIT 20-33

9. API Well No.

43-037-30931

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN,

UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other WORKOVER  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

07/15/93 MIRU. BLOW WELL DOWN & HANG OFF. POOH W/RODS & PUMP & PROD TBG. RIH W/BAILER & SCRAPER. TAG FILL @ 5673'. CLEAN FILL TO 5675'.

07/16/93 PERF F/5592-5610', 5610-30' & 5640-54' W/4 SPF. SPOT 500 GALS XYLENE F/5654-5500'. LET SOAK 1 HR. FLUSH CSG W/20 BBLs WATER. PRESS TO 500 PSI/HELD OK. ACDZ W/5000 GALS 15% HCL & 2250 GALS 2 PPG SALT DIVERTER.

07/17/93 RUN PROD TBG & EQUIP. RUN PUMP & RODS. PRESS TBG TO 500 PSI. RDMO.

14. I hereby certify that the foregoing is true and correct

Signed

*D. L. for Shirley J. J. J.*

Title

ENV. & REG. TECHNICIAN

Date

5-20-94

(This space for Federal or State office use)

Approved by

Title

Date

*✓* Clerk Tax Credit

Conditions of approval, if any:

## Generic Ratherford Unit Horizontal Drilling Procedure


The objective of this procedure is to prepare this wellbore for sidetracking, sidetrack the subject well and drill a short radius horizontal well with a 1000' lateral.

1. Prepare location and dig working pit.
2. MIRU DDPU (daylight workover rig), reverse unit and H2S equipment.
3. TOH and LD rods.
4. ND wellhead, release TAC, and NU BOPs.
5. TIH with bit and casing scraper to PBTD. TOH with bit and scraper.
6. Attempt to load hole and establish an injection rate (if the injection pressure is > 500 psi, a packer should be run to establish an injection rate).
7. MIRU wireline truck. Run gauge ring and junk basket to PBTD. Run a gyro survey from PBTD to surface. Run and set a cement retainer  $\pm 100'$  above the top perforation. RD wireline truck.
8. TIH with star guide and stop  $\pm 30'$  above the cement retainer. Circulate until well is static and free of oil and gas. Sting into cement retainer and establish injection rate. Pressure annulus to 500 psi. Squeeze cement the existing Desert Creek perforations. Pull out of retainer leaving 1 bbl of cement on top of the retainer and reverse out. TOH with star guide laying down tubing.
9. TIH with bit and drill collars picking up 2 7/8" 10.40 ppf E-75 AOH workstring. Drill cement retainer and cement to the original PBTD. Circulate hole clean and then mud-up system until a yield point of 40-50 is obtained. TOH with bit.
10. TIH with section mill dressed with cutter arms for 5 1/2" or 7" casing. Mill a 30' section in the casing just below the Gothic shale. Circulate the hole clean and TOH with section mill.
11. TIH with bit and clean out to TD. Circulate hole clean and TOH with bit.
12. TIH with 10 jts 2 3/8" tubing on 2 7/8" DP to TD. Circulate the well until static and free of oil and gas. Spot a balanced cement kick-off plug. TOH with workstring. WOC a minimum of 12 hours.
13. TIH and tag cement plug and re-spot plug if the top is too low. TOH and LD workstring. ND BOPs and NU wellhead. RDMO daylight workover rig.
14. MIRU 24 hour DDPU with drilling package. TIH with MT bit, DCs, and 2 7/8", 10.4 ppf, AOH drillpipe.
15. Dress off cement plug to the kick off point. Treat water and mud up. POOH.

16. PU curve drilling assembly and TIH on 2 7/8" DP to PBTD.
17. RU power swivel and wireline. Latch into gyro tool and orient BHA.
18. Sidetrack wellbore using gyro orientation. Switch to Magnetic steering tool when free of magnetic interference from casing.
19. Drill curve section using steering tool for orientation. POOH and LD curve drilling motor.
20. PU lateral drilling motor and new bit.
21. TIH with lateral drilling assembly. Steer assembly as necessary with steering tool to reach target. Make bit trips as necessary. Circulate wellbore clean and POOH.
22. Complete well as per operations Engineering.


FATHERFORD 20-33  
 GREATER ANETH FIELD  
 NWSW SEC 20

PRODUCER



TOM COCHRANE 7-8-93

# GENERIC HORIZONTAL RATHERFORD UNIT PRODUCER WITH 7" CASING



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

MOBIL EXPLORATION & PRODUCING US, AS AGENT FOR MEPNA

3. Address and Telephone No.

P. O. BOX 633, MIDLAND, TX 79702

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1910' FSL, 2140' FEL; SEC 20, T41S, R24E

5. Lease Designation and Serial No.

14-20-603-353

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

RATHERFORD UNIT 20-33

9. API Well No.

43-037-30931

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN,

UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other **SIDETRACK**  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

\*\*\* SEE ATTACHED PROCEDURE \*\*\*



APPROVED BY  
DATE 8/5/94  
BY J. Matthews  
WELL R649-2-3

14. I hereby certify that the foregoing is true and correct

Signed *D. J. for Shirley Joss*

Title ENV. & REG. TECHNICIAN

Date 07/27/94

(This space for Federal or State office use)

Approved by 43-037-30931

Title

Date

Conditions of approval, if any:

## Generic Ratherford Unit Horizontal Drilling Procedure

The objective of this procedure is to prepare this wellbore for sidetracking, sidetrack the subject well and drill a short radius horizontal well with a 1000' lateral.


1. Prepare location and dig working pit.
2. MIRU DDPU (daylight workover rig), reverse unit and H2S equipment.
3. TOH and LD rods.
4. ND wellhead, release TAC, and NU BOPs.
5. TIH with bit and casing scraper to PBTD. TOH with bit and scraper.
6. Attempt to load hole and establish an injection rate (if the injection pressure is > 500 psi, a packer should be run to establish an injection rate).
7. MIRU wireline truck. Run gauge ring and junk basket to PBTD. Run a gyro survey from PBTD to surface. Run and set a cement retainer  $\pm 100'$  above the top perforation. RD wireline truck.
8. TIH with star guide and stop  $\pm 30'$  above the cement retainer. Circulate until well is static and free of oil and gas. Sting into cement retainer and establish injection rate. Pressure annulus to 500 psi. Squeeze cement the existing Desert Creek perforations. Pull out of retainer leaving 1 bbl of cement on top of the retainer and reverse out. TOH with star guide laying down tubing.
9. TIH with bit and drill collars picking up 2 7/8" 10.40 ppf E-75 AOH workstring. Drill cement retainer and cement to the original PBTD. Circulate hole clean and them mud-up system until a yield point of 40-50 is obtained. TOH with bit.
10. TIH with section mill dressed with cutter arms for 5 1/2" or 7" casing. Mill a 30' section in the casing just below the Gothic shale. Circulate the hole clean and TOH with section mill.
11. TIH with bit and clean out to TD. Circulate hole clean and TOH with bit.
12. TIH with 10 jts 2 3/8" tubing on 2 7/8" DP to TD. Circulate the well until static and free of oil and gas. Spot a balanced cement kick-off plug. TOH with workstring. WOC a minimum of 12 hours.
13. TIH and tag cement plug and re-spot plug if the top is too low. TOH and LD workstring. ND BOPs and NU wellhead. RDMO daylight workover rig.
14. MIRU 24 hour DDPU with drilling package. TIH with MT bit, DCs, and 2 7/8" 10.4 ppf, AOH drillpipe.
15. Dress off cement plug to the kick off point. Treat water and mud up. POOH.




16. PU curve drilling assembly and TIH on 2 7/8" DP to PBTD.
17. RU power swivel and wireline. Latch into gyro tool and orient BHA.
18. Sidetrack wellbore using gyro orientation. Switch to Magnetic steering tool when free of magnetic interference from casing.
19. Drill curve section using steering tool for orientation. POOH and LD curve drilling motor.
20. PU lateral drilling motor and new bit.
21. TIH with lateral drilling assembly. Steer assembly as necessary with steering tool to reach target. Make bit trips as necessary. Circulate wellbore clean and POOH.
22. Complete well as per operations Engineering.

RATHERFORD 20-33  
GREATER ANETH FIELD  
NWSW SEC. 20

PRODUCER



# GENERIC HORIZONTAL RATHERFORD UNIT PRODUCER WITH 7" CASING



WORKSHEET  
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/01/94

API NO. ASSIGNED: 43-037-30931

WELL NAME: RU 20-33 (RE-ENTRY)  
OPERATOR: MOBIL EXPL & PROD CO. (N7370)

PROPOSED LOCATION:  
NWSE 20 - T41S - R24E  
SURFACE: 1910-FSL-2140-FEL  
BOTTOM:  
SAN JUAN COUNTY  
GREATER ANETH FIELD (365)

LEASE TYPE: IND  
LEASE NUMBER: 14-20-603-353

PROPOSED PRODUCING FORMATION: DSCR

INSPECT LOCATION BY: / /

TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

☒ Plat  
☒ Bond: Federal ☒ State ☐ Fee ☐  
(Number \_\_\_\_\_)  
☒ Potash (Y/N)  
☒ Oil shale (Y/N)  
☐ Water permit  
(Number \_\_\_\_\_)  
☐ RDCC Review (Y/N)  
(Date: \_\_\_\_\_)

LOCATION AND SITING:

☒ R649-2-3. Unit: \_\_\_\_\_  
☐ R649-3-2. General.  
☐ R649-3-3. Exception.  
☐ Drilling Unit.  
☐ Board Cause no: \_\_\_\_\_  
Date: \_\_\_\_\_

COMMENTS:

STIPULATIONS:

Need BHL for well when drilling  
finished

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

MOBIL EXPLORATION & PRODUCING US, AS AGENT FOR MEPNA

3. Address and Telephone No.

P. O. BOX 633, MIDLAND, TX 79702

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1910' FSL, 2140' FEL; SEC 20, T41S, R24E

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-353

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

RATHERFORD UNIT 20-33

9. API Well No.

43-037-30931

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN,

UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other SIDETRACK  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

\*\*\* SEE ATTACHED PROCEDURE \*\*\*

APPROVED  
OF U.S. DEPT. OF THE INTERIOR  
OIL, GAS & MINING

DATE: 8/5/94  
BY: J. Matthews  
WELL SP: R649-2-3



14. I hereby certify that the foregoing is true and correct

Signed D. J. Smith for Shirley Doss Title ENV. & REG. TECHNICIAN Date 07/27/94

(This space for Federal or State office use)

Approved by 43-037-30931 Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\* See Instruction on Reverse Side

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ **Well File** \_\_\_\_\_  
 (Location) Sec \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_  
 (API No.) \_\_\_\_\_

☐ **Suspense**  
 (Return Date) \_\_\_\_\_  
 (To - Initials) \_\_\_\_\_

☒ **Other**  
 OPER NM CHG \_\_\_\_\_

1. Date of Phone Call: 8-3-95 Time: \_\_\_\_\_

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☐)  
 Talked to:

Name R. J. FIRTH (Initiated Call ☒) - Phone No. ( ) \_\_\_\_\_  
 of (Company/Organization) \_\_\_\_\_

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: \_\_\_\_\_

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING  
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT  
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.  
\*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).



State of Utah  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt  
Governor

Ted Stewart  
Executive Director

James W. Carter  
Division Director

355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203  
801-538-5340  
801-359-3940 (Fax)  
801-538-5319 (TDD)

August 5, 1994

Mobil Exploration & Producing U.S., As Agent for MEPNA  
P.O. Box 633  
Midland, Texas 79702

Re: Ratherford Unit 20-33 Well, 1910' FSL, 2140' FEL, NW SE, Sec. 20, T. 41 S., R. 24 E., San Juan County, Utah

Gentlemen:

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 649-2-3, Application of Rules to Unit Agreements and R. 649-3-4, Permitting of Wells to be Drilled, Deepened or Plugged-Back, approval to reenter and drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. In accordance with Utah Admin. R. 649-3-11, Directional Drilling, submittal of a complete angular deviation and directional survey report is required.
2. Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules.
3. Notification to the Division within 24 hours after drilling operations commence.
4. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
5. Submittal of the Report of Water Encountered During Drilling, Form 7.
6. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or K. Michael Hebertson, Reclamation Specialist, (Home) (801)269-9212.




Page 2

Mobil Exploration & Producing U.S. As Agent for MEPNA  
Ratherford Unit 20-33 Well  
August 5, 1994

7. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-037-30931.

Sincerely,



R.J. Flirth  
Associate Director

ldc

Enclosures

cc: San Juan County Assessor  
Bureau of Land Management, Moab District Office  
WOI1



Division of Oil, Gas and Mining  
OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.  
Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
1-LEC	7-PL
2-LWP	8-SJ
3-DES	9-FILE
4-VLC	
5-RJF	
6-LWP	

- ☐ Change of Operator (well sold)      ☐ Designation of Agent  
☐ Designation of Operator      ☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) MOBIL EXPLOR & PROD  
(address) C/O MOBIL OIL CORP  
PO DRAWER G  
CORTEZ CO 81321  
phone (303) 564-5212  
account no. N7370

FROM (former operator) M E P N A  
(address) C/O MOBIL OIL CORP  
PO DRAWER G  
CORTEZ CO 81321  
phone (303) 564-5212  
account no. N7370

Well(s) (attach additional page if needed):

Name: <b>** SEE ATTACHED **</b>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- lec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- LWP 6. Cardex file has been updated for each well listed above. 8-21-95
- LWP 7. Well file labels have been updated for each well listed above. 9-28-95
- lec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- lec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

### ENTITY REVIEW

- See 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

### BOND VERIFICATION (Fee wells only) *\* No Fee Lease Wells at this time!*

- N/A See 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no)   . Today's date                    19  . If yes, division response was made by letter dated                    19  .

### LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A UTS 8/5/95 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated                    19  , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

### FILMING

- DR 1. All attachments to this form have been microfilmed. Date: March 13 1996.

### FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

### COMMENTS

950803 LIC F5/Not necessary!

Record#	WELL_NAME	API_NUMBER	DATEAPPRVD	SPUD_DATE	COMPLTDATE	
✓ 2508	MCELMO CREEK O-10 (RE-ENTRY)	43-037-15967	06/28/95	/ /	/ /	Drl. E. W1W
✓ 2509	MCELMO CREEK P-11 (RE-ENTRY)	43-037-15971	06/28/95	/ /	/ /	Drl. E. W1W
✓ 2510	MCELMO CREEK Q-10 (RE-ENTRY)	43-037-15973	06/28/95	/ /	/ /	Drl. E. W1W
✓ 2507	MCELMO CREEK P-09 (RE-ENTRY)	43-037-16367	06/28/95	/ /	/ /	Drl. E. W1W
✓ 2143	RU 28-11 (RE-ENTRY)	43-037-30446	08/05/94	/ /	/ /	Drl. E. POW
✓ 2144	RU 29-31 (RE-ENTRY)	43-037-30914	08/05/94	/ /	/ /	Drl. E. POW
✓ 2146	RU 20-33 (RE-ENTRY)	43-037-30931	08/05/94	/ /	/ /	Drl. E. POW
✓ 2147	RU 29-42 (RE-ENTRY)	43-037-30937	08/05/94	/ /	/ /	Drl. E. POW
✓ 2148	RU 20-42 (RE-ENTRY)	43-037-31051	08/05/94	/ /	/ /	Drl. E. POW

APD: Approved  
 - Not yet  
 Spadded

**ExxonMobil Production Company**  
U.S. West  
P.O. Box 4358  
Houston, Texas 77210-4358

June 27, 2001

**ExxonMobil**  
*Production*

Mr. Jim Thompson  
State of Utah, Division of Oil, Gas and Mining  
1549 West North Temple  
Suite 1210  
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to  
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper  
Permitting Supervisor

ExxonMobil Production Company  
a division of Exxon Mobil Corporation,  
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF  
OIL, GAS AND MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator Mobil Exploration & Producing U.S. Inc.  
as Agent for Mobil Producing TX & NM Inc.

3. Address and Telephone No.

P.O. Box 633, Midland, TX 79702 (915)688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1910'FSL, 2140' FEL  
SEC 20, T41S, R24E

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-353

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

20-33

9. API Well No.

43-037-30931

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other CANCEL SIDETRACK  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

CANCEL SIDETRACK WORKOVER APPROVED ON SEPTEMBER 15, 1995

DOG-m LA  
DATE

DOG-m Rec'd  
2/15/96

14. I hereby certify that the foregoing is true and correct

Signed

Shirley Robertson

Title ENV. & REG. TECHNICIAN

Date 2-9-96

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\* See instruction on Reverse Side



IN REPLY REFER TO:

## United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

XXXXXXXXXXXXXXX  
Navajo Area Office  
NAVAJO REGIONP.O. Box 1060  
Gallup, New Mexico 87305-1060

AUG 30 2001

RRES/543

**CERTIFIED MAIL - RETURN RECEIPT REQUESTED**

Charlotte H. Harper, Permitting Supervisor  
Exxon Mobil Production Company  
U. S. West  
P. O. Box 4358  
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

GEMINI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓  
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM	<i>DBM</i>
NATV AM MIN COORD	
SOLID MIN TEAM	
PETRO MENT TEAM	<i>2</i>
O & G INSPECT TEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

**ExxonMobil Production Company**  
U.S. West  
P.O. Box 4358  
Houston, Texas 77210-4358


*pg 7/12/2001*  
*SH*  
*543*  
*File*

June 27, 2001

**ExxonMobil**  
**Production**

Certified Mail  
Return Receipt Requested

Ms. Genni Denetsone  
United States Department of the Interior  
Bureau of Indian Affairs, Navajo Region  
Real Estate Services  
P. O. Box 1060  
Gallup, New Mexico 87305-1060  
Mail Code 543



Change of Name –  
Mobil Oil Corporation to  
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

*Charlotte H. Harper*

Charlotte H. Harper  
Permitting Supervisor

Attachments



ExxonMobil Production Company  
a division of Exxon Mobil Corporation,  
acting for ExxonMobil Oil Corporation

*NOTE: Check forwarded to Ella Issa*

Bureau of Indian Affairs  
Navajo Region Office  
Attn: RRES - Mineral and Mining Section  
P.O. Box 1060  
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

#### OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

#### DIRECTORS


Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>


Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800, whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



  
Signature  
AGENT AND ATTORNEY IN FACT  
Title

SAL



**CERTIFICATION**

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

**CHANGE OF COMPANY NAME**

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;


FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

  
Assistant Secretary

COUNTY OF DALLAS )  
STATE OF TEXAS )  
UNITED STATES OF AMERICA )

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

  
Notary Public



**LISTING OF LEASES OF MOBIL OIL CORPORATION****Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

**CHUBB GROUP OF INSURANCE COMPANIES**

1000 Texas South, Suite 1400, Houston, Texas 77027-3301  
Houston, TX 77027-4600 • Fessenden (713) 297-4750

*New Bond*

**FEDERAL INSURANCE COMPANY RIDER**  
to be attached to and form a part of

**BOND NO 8027 31 97**

wherein

**Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is**  
named as Principal and

**FEDERAL INSURANCE COMPANY AS SURETY,**

**in favor of United States of America, Department of the Interior**  
**Bureau of Indian Affairs**

**in the amount of \$150,000.00**  
**bond date: 11/01/65**

**IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001**  
**the name of the Principal is changed**

**FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.**

**TO : ExxonMobil Oil Corporation**

**All other terms and conditions of this Bond are unchanged.**

**Signed, sealed and dated this 12<sup>th</sup> of June, 2001.**

**ExxonMobil Oil Corporation**

By: 

**FEDERAL INSURANCE COMPANY**

By: 

**Mary Pierson, Attorney-in-fact**

**Chubb  
Surety****POWER  
OF  
ATTORNEY****Federal Insurance Company  
Vigilant Insurance Company  
Pacific Indemnity Company****Attn.: Surety Department  
15 Mountain View Road  
Warren, NJ 07059**

Know All by These Presents, That **FEDERAL INSURANCE COMPANY**, an Indiana corporation, **VIGILANT INSURANCE COMPANY**, a New York corporation, and **PACIFIC INDEMNITY COMPANY**, a Wisconsin corporation, do each hereby constitute and appoint **R.F. Bobo**,  
**Mary Pierson**, **Philana Berros**, and **Jody E. Specht** of **Houston, Texas**-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel  
 Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson  
 Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.  
 County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Companies in the presence of the deponent's presence.



Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 28, 2004

Karen A. Price  
 Notary Public

Extract from the By-Laws of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel  
 Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY  
 Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT  
OF  
CERTIFICATE OF INCORPORATION  
OF  
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

**FIRST:** That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

**SECOND:** That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

**THIRD:** That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,  
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.


CSC  
CSC

5184334741

06/01 '01 08:47 NO.410 04/05  
06/01 '01 09:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

  
F. A. Risch, President

STATE OF TEXAS       )  
COUNTY OF DALLAS   )


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

  
F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]

  
NOTARY PUBLIC, STATE OF TEXAS



=&gt; CSC

.TEL=5184334741

06/01'01 08:19

CSC  
CSC


5184334741

06/01 '01 09:01 NO. 411 02/02  
06/01 '01 09:06 NO. 153 04/04  
**F010601000187****CSC 45****CERTIFICATE OF AMENDMENT****OF****MOBIL OIL CORPORATION**

Under Section 805 of the Business Corporation Law

*SAC***100<sup>cc</sup>**  
**STATE OF NEW YORK**  
**DEPARTMENT OF STATE**Filed by: EXXONMOBIL CORPORATION  
(Name)

FILED JUN 01 2001

5959 Las Colinas Blvd.  
(Mailing address)TAX \$  
BY: *SAC*Irving, TX 75039-2298  
(City, State and Zip code)*ny / Albany**Cust Ref # 165578 MPJ***010601000195**

=&gt; CSC

TEL=5184334741

06/01'01 08:19

*State of New York     }*  
*Department of State }* ss:

*I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.*

*Witness my hand and seal of the Department of State on* **JUN 01 2001**



*Special Deputy Secretary of State*



## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH

2. CDW ✓

3. FILE

Change of Operator (Well Sold)

Designation of Agent

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001**

<b>FROM: (Old Operator):</b>	<b>TO: (New Operator):</b>
MOBIL EXPLORATION & PRODUCTION	EXXONMOBIL OIL CORPORATION
Address: P O BOX DRAWER "G"	Address: U S WEST P O BOX 4358
CORTEZ, CO 81321	HOUSTON, TX 77210-4358
Phone: 1-(970)-564-5212	Phone: 1-(713)-431-1010
Account No. N7370	Account No. N1855

CA No.

Unit: **RATHERFORD****WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
RATHERFORD UNIT 19-13	19-41S-24E	43-037-31719	6280	INDIAN	OW	P
RATHERFORD UNIT 19-24 (MULTI-LEG)	19-41S-24E	43-037-31754	6280	INDIAN	OW	P
RATHERFORD UNIT 20-44	20-41S-24E	43-037-30915	6280	INDIAN	OW	P
20-13	20-41S-24E	43-037-30917	6280	INDIAN	OW	P
20-24	20-41S-24E	43-037-30918	6280	INDIAN	OW	P
20-22	20-41S-24E	43-037-30930	6280	INDIAN	OW	P
RATHERFORD UNIT 20-33	20-41S-24E	43-037-30931	6280	INDIAN	OW	S
RATHERFORD UNIT 20-11	20-41S-24E	43-037-31049	6280	INDIAN	OW	S
RATHERFORD UNIT 20-31	20-41S-24E	43-037-31050	6280	INDIAN	OW	P
RATHERFORD UNIT 20-42	20-41S-24E	43-037-31051	6280	INDIAN	OW	P
RATHERFORD 20-68	20-41S-24E	43-037-31591	6280	INDIAN	OW	P
RATHERFORD 20-66	20-41S-24E	43-037-31592	6280	INDIAN	OW	P
21-23	21-41S-24E	43-037-13754	6280	INDIAN	OW	S
21-32	21-41S-24E	43-037-15755	6280	INDIAN	OW	S
21-34	21-41S-24E	43-037-15756	6280	INDIAN	OW	S
RATHERFORD UNIT 21-11	21-41S-24E	43-037-31052	6280	INDIAN	OW	S
RATHERFORD UNIT 21-24	21-41S-24E	43-037-31720	6280	INDIAN	OW	P
RATHERFORD UNIT 21-77	21-41S-24E	43-037-31758	6280	INDIAN	OW	S
RATHERFORD UNIT 28-11	28-41S-24E	43-037-30446	6280	INDIAN	OW	P
29-34	29-41S-24E	43-037-15340	6280	INDIAN	OW	P

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 04/15/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/15/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: N/A

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: N/A

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 80273197

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS:**

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

**X Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: **6/1/2006**

**FROM: (Old Operator):**  
 N1855-ExxonMobil Oil Corporation  
 PO Box 4358  
 Houston, TX 77210-4358  
 Phone: 1 (281) 654-1936

**TO: ( New Operator):**  
 N2700-Resolute Natural Resources Company  
 1675 Broadway, Suite 1950  
 Denver, CO 80202  
 Phone: 1 (303) 534-4600

**CA No.**

**Unit:**

**RATHERFORD**

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on: \_\_\_\_\_
- (R649-9-2) Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**  
 The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**  
 The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a  
 The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

See attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo Tribe

7. UNIT or CA AGREEMENT NAME:

Ratherford Unit

8. WELL NAME and NUMBER:

See attached list

9. API NUMBER:

Attached

10. FIELD AND POOL, OR WILDCAT:

Greater Aneth

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER Unit Agreement

2. NAME OF OPERATOR:

Resolute Natural Resources Company

N2700

3. ADDRESS OF OPERATOR:

1675 Broadway, Suite 1950

CITY

Denver

STATE

CO

ZIP

80202

PHONE NUMBER:

(303) 534-4600

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached list

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

☒ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

TYPE OF ACTION

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☒ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☐ OTHER: \_\_\_\_\_

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT)

Dwight E Mallory

TITLE

Regulatory Coordinator

SIGNATURE

DATE

4/20/2006

(This space for State use only)

APPROVED 6127106

Earlene Russell

Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: Ship Rock
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <i>N1855</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358		7. UNIT or CA AGREEMENT NAME: UTU68931A
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: Ratherford
PHONE NUMBER: (281) 654-1936		9. API NUMBER: attached
COUNTY: San Juan		10. FIELD AND POOL, OR WILDCAT: Aneth
STATE: UTAH		

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <i>Laurie B. Kilbride</i>	DATE <u>4/19/2006</u>

(This space for State use only)

**APPROVED** 6/27/06  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

**RECEIVED**  
**APR 21 2006**

DIV. OF OIL, GAS & MINING

# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	01-14	430373116200S1	Producing	1420603246A	1	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	41S	23E	SWSE	1133FSL	1980FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11	41S	23E	NENE	0860FNL	0350FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11	41S	23E	NESE	1980FSL	0660FEL
Ratherford	12-12	430373119000S1	Producing	1420603246A	12	41S	23E	SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12	41S	23E	SWSW	0660FSL	4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12	41S	23E	NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12	41S	23E	NESW	1958FSL	3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12	41S	23E	SWNE	1820FNL	1820FEL
Ratherford	12-34	430373112600S1	Producing	1420603246A	12	41S	23E	SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	41S	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	41S	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	41S	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14	41S	23E	SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	41S	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24	41S	23E	SWNE	2121FNL	1846FEL
Ratherford	24-41	430373113200S1	Producing	1420603247A	24	41S	23E	NENE	0660FNL	0710FEL
Ratherford	17-11	430373116900S1	Producing	1420603353	17	41S	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17	41S	24E	NWSW	2100FSL	0660FWL
Ratherford	17-22	430373117001S1	Producing	1420603353	17	41S	24E	SENE	1882FNL	1910FWL
Ratherford	17-24	430373104400S1	Producing	1420603353	17	41S	24E	SESW	0720FSL	1980FWL
Ratherford	17-31	430373117800S1	Producing	1420603353	17	41S	24E	NWNE	0500FNL	1980FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	41S	24E	NWSE	1980FSL	1845FEL
Ratherford	17-42	430373117700S1	Producing	1420603353	17	41S	24E	SENE	1980FNL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	17	41S	24E	SESE	0660FSL	0660FEL
Ratherford	18-11	430371573300S1	SI	1420603353	18	41S	24E	NWNW	0720FNL	0730FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18	41S	24E	NWSW	1980FSL	0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18	41S	24E	SENE	2200FNL	2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18	41S	24E	SESW	0760FSL	1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18	41S	24E	NWNE	0795FNL	2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18	41S	24E	NWSE	1870FSL	1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18	41S	24E	SENE	2120FNL	0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19	41S	24E	NWNW	0660FNL	0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19	41S	24E	NWSW	1980FSL	0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19	41S	24E	SENE	1840FNL	1980FWL
Ratherford	19-24	430373175401S1	Producing	1420603353	19	41S	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	41S	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	41S	24E	NWSE	1980FSL	1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	41S	24E	SENE	1880FNL	0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-97	430373159600S1	Producing	1420603353	19	41S	24E	SENE	2562FNL	0030FEL
Ratherford	20-11	430373104900S1	Producing	1420603353	20	41S	24E	NWNW	0500FNL	0660FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20	41S	24E	NWSW	2140FSL	0500FWL
Ratherford	20-22	430373093000S1	Producing	1420603353	20	41S	24E	SENE	2020FNL	2090FWL
Ratherford	20-24	430373091800S1	Producing	1420603353	20	41S	24E	SESW	0820FSL	1820FWL

# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S	24E	NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S	24E	NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	41S	24E	SENE	1980FNL	0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	41S	24E	SESE	0620FSL	0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	41S	24E	SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	41S	24E	NWSW	1615FSL	1276FWL
Ratherford	15-12	430371571501S1	Producing	1420603355	15	41S	24E	SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15	41S	24E	SENE	1980FNL	2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	41S	24E	NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S	24E	NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	41S	24E	SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	41S	24E	NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	41S	24E	NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	41S	24E	NESW	2587FSL	2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	41S	24E	NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21	41S	24E	SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	41S	24E	SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	41S	24E	NWSE	2511FSL	2446FEL
Ratherford	07-11	430373116300S1	Producing	1420603368	7	41S	24E	NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	41S	24E	NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	41S	24E	SENE	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7	41S	24E	SESW	0880FSL	2414FWL
Ratherford	07-44	430373118900S1	SI	1420603368	7	41S	24E	SESE	0737FSL	0555FEL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	41S	24E	SWNW	1909FNL	0520FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	41S	24E	NENW	0616FNL	1911FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	41S	24E	NESW	1920FSL	2055FWL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	11-14	430371616700S1	Producing	14206034037	11	41S	24E	SWSW	0660FSL	0660FWL
Ratherford	09-34	430371571100S1	SI	14206034043	9	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	10-12	430371571200S1	Producing	14206034043	10	41S	24E	SWNW	1980FNL	0660FWL
Ratherford	10-14	430371571300S1	Producing	14206034043	10	41S	24E	SWSW	0510FSL	0710FWL
Ratherford	10-32	430371571400S1	TA	14206034043	10	41S	24E	SWNE	2080FNL	1910FEL
Ratherford	10-44	430373045100S1	TA	14206034043	10	41S	24E	SESE	0820FSL	0510FEL
Ratherford	29-11	430373105300S1	Producing	1420603407	29	41S	24E	NWNW	0770FNL	0585FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29	41S	24E	SENE	2130FNL	1370FWL
Ratherford	29-31	430373091401S1	Producing	1420603407	29	41S	24E	NWNE	0700FNL	2140FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29	41S	24E	NWSE	1860FSL	1820FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29	41S	24E	SWSE	0817FSL	2096FEL
Ratherford	29-42	430373093700S1	SI	1420603407	29	41S	24E	SENE	1850FNL	0660FEL
Ratherford	30-32	430371534200S1	Producing	1420603407	30	41S	24E	SWNE	1975FNL	2010FEL
Ratherford	28-11	430373044600S1	Producing	1420603409	28	41S	24E	NWNW	0520FNL	0620FWL



# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	41S	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	41S	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	41S	24E	SWNW	2140FNL	0660FWL

## Water Source Wells (Feb 2006)

RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active



<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 14-20-603-353
<b>1. TYPE OF WELL</b> Oil Well		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> NAVAJO
<b>2. NAME OF OPERATOR:</b> RESOLUTE NATURAL RESOURCES		<b>7. UNIT or CA AGREEMENT NAME:</b> RATHERFORD
<b>3. ADDRESS OF OPERATOR:</b> 1675 Boradway Ste 1950 , Denver, CO, 80202		<b>8. WELL NAME and NUMBER:</b> RATHERFORD UNIT 20-33
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 1910 FSL 2140 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NWSE Section: 20 Township: 41.0S Range: 24.0E Meridian: S		<b>9. API NUMBER:</b> 43037309310000
<b>9. FIELD and POOL or WILDCAT:</b> GREATER ANETH		<b>COUNTY:</b> SAN JUAN
<b>STATE:</b> UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>9/9/2013</b>	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input checked="" type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:			
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:			
<input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
  

Resolute proposes to repair the tubing leak in the subject well to restore production. The proposed procedure and well bore diagrams are attached. Work is to commence on 9-9-13.

**Accepted by the**  
**Utah Division of**  
**Oil, Gas and Mining**

**Date:** October 08, 2013

**By:** *Derek Quist*

<b>NAME (PLEASE PRINT)</b> Sherry Glass	<b>PHONE NUMBER</b> 303 573-4886	<b>TITLE</b> Sr Regulatory Technician
<b>SIGNATURE</b> N/A	<b>DATE</b> 9/6/2013	

# **RESOLUTE**

## **NATURAL RESOURCES**

**RU 20-33**

**1910 FSL, 2140 FEL**

**NWSE sec. 20-T40S-R24E**

**43-037-30931**

### **Tubing Leak**

#### **Job Scope**

Job Scope: PT tbg, POOH & inspect rods, POOH with Tubing, PU TBIH with tbg & bha, Run pump and rods.

#### **Procedure**

1. MIRU WSU, LOTO,
2. Pressure test tubing to 1000 psig.
3. Kill well as necessary
4. POOH with rods and 1-3/4 insert pump. Stand back rods in derrick. Call and notify Bill Albert (970) 371-9682 to inspect rods. If unavailable, contact Tech Support (Virgil Holly (435) 444-0020, or Julius Claw (435) 444-0156. Replace rods per inspection results.
5. Drop a standing valve. Re-pressure test the tubing.
6. NU BOPE to pull & LD tubing.
7. Release the TAC @ 5321'KB. Install a packer & pressure test BOPE.
8. TIH with extra jnts to tag fill; PBTD 5675'. If needed, RIH w/Bit & Scraper, CO to PBTD w/Global N2.
9. TOO H with tubing, laying down for inspection/reconditioning.
10. Call and notify Bill Albert to inspect tubing. If unavailable, contact Virgil H. or Julius C.
11. Replace tubing with 2-7/8" J-55 FBNAU Seamless YB tubing.
12. TIH with slotted mud anchor, carbon steel SN, 3-1/2" blast jt, 4 jts tubing, TAC & YB Tubing to surface.
13. Run SMA/EOT to ~5590' KB, SN at ~ 5558' KB, TAC at ~5400' KB.
14. NDBOP, NUWH. Change over for rods.
15. RIH with new pump. Contact Tech Support for pump and rod details.
16. Long stroke pump to test for good pumping action.
17. Leave enough polished rod for operators to correctly space pump as required.
18. Notify the Area Production Supervisor that well is ready to return to production.
19. RDMOL. Hook up appropriate chemical treatment.

